

US010326942B2

(12) United States Patent

Shabtay et al.

(54) DUAL APERTURE ZOOM DIGITAL CAMERA

- (71) Applicant: Corephotonics Ltd., Tel-Aviv (IL)
- Inventors: Gal Shabtay, Tel Aviv (IL); Ephraim Goldenberg, Ashdod (IL); Oded Gigushinski, Herzlia (IL); Noy Cohen, Tel-Aviv (IL)
- (73) Assignee: Corephotonics Ltd., Tel Aviv (IL)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 25 days.

This patent is subject to a terminal disclaimer.

- (21) Appl. No.: 15/865,869
- (22) Filed: Jan. 9, 2018

(65) **Prior Publication Data**

US 2018/0152640 A1 May 31, 2018

Related U.S. Application Data

- (63) Continuation of application No. 15/424,853, filed on Feb. 5, 2017, now Pat. No. 10,015,408, which is a (Continued)
- (51) Int. Cl. HOAN 5/232

mu cu				
H04N 5/232		(2	006.01))
H04N 5/225		(2	006.01)
	10			

(Continued)

- (52) U.S. Cl. CPC H04N 5/23296 (2013.01); G02B 13/009 (2013.01); G02B 13/0015 (2013.01); (Continued)
- (58) Field of Classification Search None

See application file for complete search history.

<u>100</u>



(10) Patent No.: US 10,326,942 B2

(45) **Date of Patent:** *Jun. 18, 2019

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,354,503 A 2,378,170 A	7/1944 Cox 6/1945 Aklin	
	(Continued)	

FOREIGN PATENT DOCUMENTS

101276415 A	10/2008
102739949 A	10/2012
(Cont	tinued)

CN CN

OTHER PUBLICATIONS

European Supplementary Search report in related EP patent application 14810366.6, dated Apr. 6, 2016, 4 pages. (Continued)

Primary Examiner — Cynthia Segura (74) Attorney, Agent, or Firm — Nathan & Associates; Menachem Nathan

(57) **ABSTRACT**

A dual-aperture zoom digital camera operable in both still and video modes. The camera includes Wide and Tele imaging sections with respective lens/sensor combinations and image signal processors and a camera controller operatively coupled to the Wide and Tele imaging sections. The Wide and Tele imaging sections provide respective image data. The controller is configured to combine in still mode at least some of the Wide and Tele image data to provide a fused output image from a particular point of view, and to provide without fusion continuous zoom video mode output images, each output image having a given output resolution, wherein the video mode output images are provided with a smooth transition when switching between a lower zoom factor (ZF) value and a higher ZF value or vice versa, and wherein at the lower ZF the output resolution is determined by the Wide sensor while at the higher ZF value the output resolution is determined by the Tele sensor.

25 Claims, 8 Drawing Sheets

Related U.S. Application Data

continuation of application No. 14/880,251, filed on Oct. 11, 2015, now Pat. No. 9,661,233, which is a continuation of application No. 14/365,711, filed as application No. PCT/IB2014/062180 on Jun. 12, 2014, now Pat. No. 9,185,291.

- (60) Provisional application No. 61/834,486, filed on Jun. 13, 2013.
- (51) Int. Cl.

G02B 13/00	(2006.01)
G02B 27/00	(2006.01)

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,441,093	Α		5/1948	Aklin	
3,388,956	Α		6/1968	Eggert et al.	
3,524,700	Α		8/1970	Eggert et al.	
3,864,027	Α		2/1975	Harada	
3,942,876	Α		3/1976	Betensky	
4,134,645	Α		1/1979	Sugiyama et al.	
4,199,785	Α		4/1980	McCullough et al.	
4.338.001	Α		7/1982	Matsui	
4,465,345	Α		8/1984	Yazawa	
4.888.605	Α	*	12/1989	Matsumoto	G03B 17/245
-,,					396/429
5 000 551	Δ		3/1991	Shibayama	5507 125
5,000,001	Ā		<i>A</i> /1001	Grage et al	
5 032 017	A		7/1001	Aschwanden	
5,052,917	A		0/1001	Non Hoesele	
5 248 071	A		0/1002	Mandl	
5 287 002	A		9/1993	Amono ot ol	
5,287,093	A		2/1994	Alliano et al.	
5,430,000	A		P/1993	Sakamoto	
5,444,478	A		0/1993	Leiong et al.	
5,459,520	A		0/1007	Sasaki Dandan et el	
5,057,402	A		8/1997	Bender et al.	
5,682,198	A		10/1997	Katayama et al.	
5,768,443	A		6/1998	Michael et al.	
5,926,190	A		7/1999	Turkowski et al.	
5,940,641	A		8/1999	McIntyre et al.	
5,982,951	Α		11/1999	Katayama et al.	
6,101,334	Α		8/2000	Fantone	
6,128,416	Α		10/2000	Oura	
6,148,120	А		11/2000	Sussman	
6,208,765	B1		3/2001	Bergen	
6,268,611	B1		7/2001	Pettersson et al.	
6,549,215	B2		4/2003	Jouppi	
6,611,289	B1		8/2003	Yu et al.	
6,643,416	B1		11/2003	Daniels et al.	
6,650,368	Β1		11/2003	Doron	
6,654,180	B2		11/2003	Ori	
6,680,748	B1		1/2004	Monti	
6,714,665	Β1		3/2004	Hanna et al.	
6,724,421	B1		4/2004	Glatt	
6,738,073	B2		5/2004	Park et al.	
6.741.250	B1		5/2004	Furlan et al.	
6,750,903	B1		6/2004	Mivatake et al.	
6,778,207	B1		8/2004	Lee et al.	
7.002.583	B2		2/2006	Rabb. III	
7.015.954	BI		3/2006	Foote et al.	
7.038.716	B2		5/2006	Klein et al.	
7.187.504	B2		3/2007	Horiuchi	
7.199.348	B2		4/2007	Olsen et al.	
7.206.136	B2		4/2007	Labaziewicz et al.	
7.248.294	B2		7/2007	Slatter	
7.256.944	B2		8/2007	Labaziewicz et al	

7,305,180			
7 339 621	B2	12/2007	Labaziewicz et al.
	B2	3/2008	Fortier
7,555,021		3/2000	
/,346,21/	BI	3/2008	Gola, Jr.
7,365,793	B2	4/2008	Cheatle et al.
7 411 610	B2	8/2008	Dovle
7,111,010		0/2000	Doyle Doyle
7,424,218	DZ	9/2008	Baudisch et al.
7,509,041	B2	3/2009	Hosono
7 515 351	B2	4/2009	Chen et al
7,515,551		5/2000	
7,533,819	B2	5/2009	Barkan et al.
7.564.635	B1	7/2009	Tang
7 610 692	 D 2	11/2000	Davia
7,019,085	BZ	11/2009	Davis
7,643,225	B1	1/2010	Tsai
7 660 049	B2	2/2010	Tano
7,000,015	D2	2/2010	Tene
7,084,128	BZ	3/2010	Tang
7,688,523	B2	3/2010	Sano
7 602 877	B2	4/2010	Tang et al
7,052,077		4/2010	Tang et al.
7,697,220	B2	4/2010	Iyama
7.738.016	B2	6/2010	Tovofuku
7 738 186	B2	6/2010	Chen et al
7,750,100		0/2010	Chen et al.
7,773,121	B1	8/2010	Huntsberger et al.
7 777 972	B1	8/2010	Chen et al
7,012,057	D1 D1	10/2010	Lin
7,813,037	DZ	10/2010	
7,821,724	B2	10/2010	Tang et al.
7 826 149	B2	11/2010	Tang et al
7,020,110	D2	11/2010	Tang of all
7,820,151	BZ	11/2010	Isai
7,869,142	B2	1/2011	Chen et al.
7 880 776	B2	2/2011	LeGall et al
7,000,770	D2 D2	2/2011	T
/,898,747	B2	3/2011	lang
7.916.401	B2	3/2011	Chen et al.
7 018 308	B2	4/2011	Lietal
7,910,990		-1/2011	Li et al.
7,957,075	B2	6/2011	lang
7.957.076	B2	6/2011	Tang
7 057 070	B2	6/2011	Tang
7,001,000	D2 D2	6/2011	
7,961,406	B2	6/2011	lang et al.
7,964,835	B2	6/2011	Olsen et al.
7 078 230	B2	7/2011	Deever et al
0,000,001		0/2011	
8,000,031	BI	8/2011	Isai
8.004.777	B2	8/2011	Souma
8 077 400	B2	12/2011	Tang
8,077,400	DZ D2	12/2011	Tallg
8,115,825	B2	2/2012	Culbert et al.
8.149.327	B2	4/2012	Lin et al.
8 140 522	 D2	4/2012	Ozolzi
8,149,525	DZ	4/2012	Ozaki
8,154,610	B2	4/2012	Jo et al.
8.218.253	B2	7/2012	Tang
0 220 622	<u>Б</u> 2	7/2012	Tong
0,220,022	DZ	7/2012	Tang
8,233,224	B2	7/2012	Chen
8.238.695	B1	8/2012	Davev et al.
0,250,055	D1	8/2012	Lin .
0,235,045	DZ	8/2012	
8,274,552	B2	9/2012	Dahi et al.
8.279.537	B2	10/2012	Sato
0,279,007	ก้	10.2012	Duro
0 161 111	D /	1/2012	Tang at al
8,363,337	102	1/2013	Tang et al.
8,363,337 8,390,729	B2	1/2013 3/2013	Tang et al. Long et al.
8,363,337 8,390,729 8,391,697	B2 B2 B2	1/2013 3/2013 3/2013	Tang et al. Long et al. Cho et al
8,363,337 8,390,729 8,391,697	B2 B2 B2	1/2013 3/2013 3/2013 2/2012	Tang et al. Long et al. Cho et al.
8,363,337 8,390,729 8,391,697 8,395,851	B2 B2 B2 B2	1/2013 3/2013 3/2013 3/2013	Tang et al. Long et al. Cho et al. Tang et al.
8,363,337 8,390,729 8,391,697 8,395,851 8,400,555	B2 B2 B2 B2 B1	1/2013 3/2013 3/2013 3/2013 3/2013	Tang et al. Long et al. Cho et al. Tang et al. Georgiev et al.
8,363,337 8,390,729 8,391,697 8,395,851 8,400,555 8,400,717	B2 B2 B2 B1 B2 B1	1/2013 3/2013 3/2013 3/2013 3/2013 3/2013	Tang et al. Long et al. Cho et al. Tang et al. Georgiev et al. Chen et al.
8,363,337 8,390,729 8,391,697 8,395,851 8,400,555 8,400,717 8,439,265	B2 B2 B2 B2 B1 B2 B2 B2 B2	1/2013 3/2013 3/2013 3/2013 3/2013 3/2013 5/2013	Tang et al. Long et al. Cho et al. Tang et al. Georgiev et al. Chen et al.
8,363,337 8,390,729 8,391,697 8,395,851 8,400,555 8,400,717 8,439,265	B2 B2 B2 B2 B1 B2 B2 B2 B2	1/2013 3/2013 3/2013 3/2013 3/2013 3/2013 5/2013	Tang et al. Long et al. Cho et al. Georgiev et al. Chen et al. Ferren et al.
8,363,337 8,390,729 8,391,697 8,395,851 8,400,555 8,400,717 8,439,265 8,446,484	B2 B2 B2 B2 B1 B2 B2 B2 B2	1/2013 3/2013 3/2013 3/2013 3/2013 3/2013 5/2013 5/2013	Tang et al. Long et al. Cho et al. Tang et al. Georgiev et al. Chen et al. Ferren et al. Muukki et al.
8,363,337 8,390,729 8,391,697 8,395,851 8,400,555 8,400,717 8,439,265 8,446,484 8,451,549	B2 B2 B2 B1 B2 B2 B2 B2 B2 B2	1/2013 3/2013 3/2013 3/2013 3/2013 3/2013 5/2013 5/2013 5/2013	Tang et al. Long et al. Cho et al. Tang et al. Georgiev et al. Chen et al. Ferren et al. Muukki et al. Yamanaka et al.
8,363,337 8,390,729 8,391,697 8,395,851 8,400,555 8,400,717 8,439,265 8,446,484 8,451,549 8,483,452	B2 B2 B2 B1 B2 B2 B2 B2 B2 B2 B2 B2 B2	1/2013 3/2013 3/2013 3/2013 3/2013 5/2013 5/2013 5/2013 5/2013	Tang et al. Long et al. Cho et al. Tang et al. Georgiev et al. Chen et al. Ferren et al. Muukki et al. Yamanaka et al.
8,363,337 8,390,729 8,391,697 8,395,851 8,400,555 8,400,717 8,439,265 8,446,484 8,451,549 8,483,452	B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2	1/2013 3/2013 3/2013 3/2013 3/2013 3/2013 5/2013 5/2013 5/2013 7/2013	Tang et al. Long et al. Cho et al. Tang et al. Georgiev et al. Chen et al. Ferren et al. Muukki et al. Yamanaka et al. Ueda et al.
8,363,337 8,390,729 8,391,697 8,395,851 8,400,555 8,400,717 8,439,265 8,446,484 8,451,549 8,483,452 8,503,107	B2 B2 B2 B2 B1 B2 B2 B2 B2 B2 B2 B2 B2	1/2013 3/2013 3/2013 3/2013 3/2013 3/2013 5/2013 5/2013 5/2013 5/2013 7/2013 8/2013	Tang et al. Long et al. Cho et al. Tang et al. Georgiev et al. Chen et al. Ferren et al. Muukki et al. Yamanaka et al. Ueda et al. Chen et al.
8,363,337 8,390,729 8,391,697 8,395,851 8,400,555 8,400,717 8,439,265 8,446,484 8,451,549 8,448,452 8,503,107 8,514,491	B2 B2 B2 B2 B1 B2 B2 B2 B2 B2 B2 B2 B2 B2	1/2013 3/2013 3/2013 3/2013 3/2013 3/2013 5/2013 5/2013 5/2013 7/2013 8/2013	Tang et al. Long et al. Cho et al. Tang et al. Georgiev et al. Chen et al. Ferren et al. Yamanaka et al. Yamanaka et al. Ueda et al. Chen et al. Duparre
8,365,337 8,390,729 8,391,697 8,395,851 8,400,555 8,400,717 8,439,265 8,446,484 8,451,549 8,483,452 8,503,107 8,514,491 8,514,502	B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B	1/2013 3/2013 3/2013 3/2013 3/2013 3/2013 5/2013 5/2013 5/2013 8/2013 8/2013	Tang et al. Long et al. Cho et al. Tang et al. Georgiev et al. Chen et al. Ferren et al. Muukki et al. Yamanaka et al. Uleda et al. Chen et al. Duparre Chen
8,365,337 8,390,729 8,391,697 8,395,851 8,400,555 8,400,717 8,439,265 8,440,484 8,451,549 8,483,452 8,503,107 8,514,502 8,514,502	B2 B2 B2 B2 B1 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2	1/2013 3/2013 3/2013 3/2013 3/2013 5/2013 5/2013 5/2013 7/2013 8/2013 8/2013 8/2013	Tang et al. Long et al. Cho et al. Tang et al. Georgiev et al. Chen et al. Ferren et al. Muukki et al. Yamanaka et al. Ueda et al. Duparre Chen
8,363,337 8,390,729 8,391,697 8,395,851 8,400,555 8,400,717 8,439,265 8,446,484 8,451,549 8,483,452 8,503,107 8,514,491 8,514,502 8,547,389	B2 B2 B2 B2 B1 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2	1/2013 3/2013 3/2013 3/2013 3/2013 3/2013 5/2013 5/2013 5/2013 5/2013 8/2013 8/2013 8/2013	Tang et al. Long et al. Cho et al. Tang et al. Georgiev et al. Chen et al. Ferren et al. Yamanaka et al. Yamanaka et al. Ueda et al. Chen et al. Duparre Chen Hoppe et al.
8,363,337 8,390,729 8,391,697 8,395,851 8,400,555 8,400,717 8,439,265 8,446,484 8,451,549 8,483,452 8,503,107 8,514,491 8,514,509 8,553,106	B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B	1/2013 3/2013 3/2013 3/2013 3/2013 3/2013 5/2013 5/2013 5/2013 5/2013 8/2013 8/2013 8/2013 10/2013	Tang et al. Long et al. Cho et al. Tang et al. Georgiev et al. Chen et al. Ferren et al. Muukki et al. Yamanaka et al. Ueda et al. Chen et al. Duparre Chen Hoppe et al. Scarff
8,363,337 8,390,729 8,391,697 8,395,851 8,400,555 8,440,454 8,439,265 8,446,484 8,451,549 8,483,452 8,503,107 8,514,491 8,514,502 8,547,389 8,553,106	B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B	1/2013 3/2013 3/2013 3/2013 3/2013 5/2013 5/2013 5/2013 5/2013 8/2013 8/2013 8/2013 10/2013 10/2013	Tang et al. Long et al. Cho et al. Georgiev et al. Georgiev et al. Chen et al. Ferren et al. Muukki et al. Yamanaka et al. Ueda et al. Chen et al. Duparre Chen Hoppe et al. Scarff Takane
8,365,337 8,390,729 8,391,697 8,395,851 8,400,555 8,400,717 8,439,265 8,446,484 8,451,549 8,483,452 8,503,107 8,514,502 8,547,389 8,553,106 8,587,691	B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B	1/2013 3/2013 3/2013 3/2013 3/2013 5/2013 5/2013 5/2013 8/2013 8/2013 8/2013 10/2013 10/2013	Tang et al. Long et al. Cho et al. Tang et al. Georgiev et al. Chen et al. Ferren et al. Muukki et al. Yamanaka et al. Ueda et al. Chen et al. Duparre Chen Hoppe et al. Scarff Takane
8,365,337 8,390,729 8,391,697 8,395,851 8,400,555 8,400,717 8,439,265 8,446,484 8,451,549 8,483,452 8,503,107 8,514,491 8,514,502 8,553,106 8,587,691 8,567,691	B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B	1/2013 3/2013 3/2013 3/2013 3/2013 5/2013 5/2013 5/2013 5/2013 8/2013 8/2013 8/2013 10/2013 10/2013 11/2013	Tang et al. Long et al. Cho et al. Tang et al. Georgiev et al. Chen et al. Ferren et al. Muukki et al. Yamanaka et al. Ueda et al. Duparre Chen et al. Buparre Chen Hoppe et al. Scarff Takane Watts et al.
8,365,337 8,390,729 8,391,697 8,395,851 8,400,555 8,400,717 8,439,265 8,446,484 8,451,549 8,483,452 8,503,107 8,514,591 8,547,389 8,553,106 8,587,691 8,619,148 8,780,465	B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B	1/2013 3/2013 3/2013 3/2013 3/2013 5/2013 5/2013 5/2013 8/2013 8/2013 8/2013 10/2013 10/2013 11/2013 12/2013 7/2014	Tang et al. Long et al. Cho et al. Tang et al. Georgiev et al. Chen et al. Ferren et al. Muukki et al. Yamanaka et al. Ueda et al. Chen et al. Duparre Chen Hoppe et al. Scarff Takane Watts et al. Chae
8,365,337 8,390,729 8,391,697 8,395,851 8,400,555 8,400,717 8,439,265 8,446,484 8,451,549 8,483,452 8,503,107 8,514,491 8,514,502 8,547,389 8,553,106 8,587,691 8,619,148 8,780,465 8,803,900	B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B	1/2013 3/2013 3/2013 3/2013 3/2013 5/2013 5/2013 5/2013 8/2013 8/2013 8/2013 10/2013 11/2013 12/2014	Tang et al. Long et al. Cho et al. Tang et al. Georgiev et al. Chen et al. Ferren et al. Muukki et al. Yamanaka et al. Ueda et al. Chen et al. Duparre Chen Hoppe et al. Scarff Takane Watts et al. Chae Smith
8,363,337 8,390,729 8,391,697 8,395,851 8,400,555 8,440,454 8,439,265 8,446,484 8,451,549 8,483,452 8,547,389 8,514,502 8,547,389 8,553,106 8,587,691 8,619,148 8,780,465 8,803,990	B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B	1/2013 3/2013 3/2013 3/2013 3/2013 5/2013 5/2013 5/2013 5/2013 7/2013 8/2013 8/2013 8/2013 10/2013 11/2013 7/2014 8/2014	Tang et al. Long et al. Cho et al. Tang et al. Georgiev et al. Chen et al. Ferren et al. Muukki et al. Yamanaka et al. Ueda et al. Ouparre Chen et al. Duparre Chen Hoppe et al. Scarff Takane Watts et al. Chae Smith
8,363,337 8,390,729 8,391,697 8,395,851 8,400,555 8,400,717 8,439,265 8,446,484 8,451,549 8,446,484 8,451,549 8,483,452 8,503,107 8,514,491 8,514,502 8,547,389 8,553,106 8,587,691 8,619,148 8,780,465 8,803,990 8,810,923	B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B	1/2013 3/2013 3/2013 3/2013 3/2013 5/2013 5/2013 5/2013 8/2013 8/2013 8/2013 10/2013 10/2013 11/2013 12/2013 7/2014 8/2014	Tang et al. Long et al. Cho et al. Tang et al. Georgiev et al. Chen et al. Ferren et al. Muukki et al. Yamanaka et al. Ueda et al. Chen et al. Duparre Chen Hoppe et al. Scarff Takane Watts et al. Chae Smith Shinohara
8,365,337 8,390,729 8,391,697 8,395,851 8,400,555 8,400,717 8,439,265 8,446,484 8,451,549 8,483,452 8,503,107 8,514,491 8,514,502 8,553,106 8,557,691 8,619,148 8,780,465 8,803,990 8,810,923 8,854,745	B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B	1/2013 3/2013 3/2013 3/2013 3/2013 5/2013 5/2013 5/2013 5/2013 7/2013 8/2013 8/2013 8/2013 10/2013 10/2013 12/2013 7/2014 8/2014 8/2014	Tang et al. Long et al. Cho et al. Tang et al. Georgiev et al. Chen et al. Ferren et al. Muukki et al. Yamanaka et al. Ueda et al. Oten et al. Duparre Chen Hoppe et al. Scarff Takane Watts et al. Chae Smith Shinohara Chen
8,363,337 8,390,729 8,391,697 8,395,851 8,400,555 8,400,717 8,439,265 8,446,484 8,451,549 8,483,452 8,503,107 8,514,491 8,514,502 8,547,389 8,553,106 8,587,691 8,619,148 8,780,465 8,803,990 8,810,923 8,854,745	B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B	1/2013 3/2013 3/2013 3/2013 3/2013 5/2013 5/2013 5/2013 8/2013 8/2013 8/2013 10/2013 10/2013 11/2013 12/2013 7/2014 8/2014 8/2014	Tang et al. Long et al. Cho et al. Tang et al. Georgiev et al. Chen et al. Ferren et al. Muukki et al. Yamanaka et al. Ueda et al. Chen et al. Duparre Chen Hoppe et al. Scarff Takane Watts et al. Chae Smith Shinohara Chen
8,363,337 8,390,729 8,391,697 8,395,851 8,400,555 8,400,717 8,439,265 8,446,484 8,451,549 8,483,452 8,503,107 8,514,491 8,514,502 8,553,106 8,557,691 8,619,148 8,780,465 8,803,990 8,810,923 8,854,745 8,896,655	B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B	1/2013 3/2013 3/2013 3/2013 3/2013 5/2013 5/2013 5/2013 5/2013 8/2013 8/2013 8/2013 10/2013 11/2013 12/2013 7/2014 8/2014 10/2014 11/2014	Tang et al. Long et al. Cho et al. Tang et al. Georgiev et al. Chen et al. Ferren et al. Muukki et al. Yamanaka et al. Ueda et al. Chen et al. Duparre Chen Hoppe et al. Scarff Takane Watts et al. Chae Smith Shinohara Chen Mauchly et al.
8,363,337 8,390,729 8,391,697 8,395,851 8,400,555 8,440,454 8,439,265 8,446,484 8,451,549 8,483,452 8,547,389 8,553,106 8,547,389 8,553,106 8,587,691 8,619,148 8,780,465 8,803,990 8,810,923 8,854,745	B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B	1/2013 3/2013 3/2013 3/2013 3/2013 5/2013 5/2013 5/2013 5/2013 7/2013 8/2013 8/2013 8/2013 10/2013 11/2013 12/2013 7/2014 8/2014 8/2014 11/2014 2/2015	Tang et al. Long et al. Cho et al. Tang et al. Georgiev et al. Chen et al. Ferren et al. Muukki et al. Yamanaka et al. Ueda et al. Ouparre Chen et al. Duparre Chen Hoppe et al. Scarff Takane Watts et al. Chae Smith Shinohara Chen Mauchly et al. Kwon et al.
8,365,337 8,390,729 8,391,697 8,395,851 8,400,555 8,400,717 8,439,265 8,446,484 8,451,549 8,446,484 8,451,549 8,483,452 8,503,107 8,514,491 8,514,491 8,547,389 8,553,106 8,587,691 8,619,148 8,780,465 8,803,990 8,810,923 8,854,745 8,896,655 8,957,555	B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B	1/2013 3/2013 3/2013 3/2013 3/2013 5/2013 5/2013 5/2013 7/2013 8/2013 8/2013 10/2013 10/2013 11/2013 12/2013 7/2014 8/2014 8/2014 10/2014 11/2014 2/2015	Tang et al. Long et al. Cho et al. Tang et al. Georgiev et al. Chen et al. Ferren et al. Muukki et al. Yamanaka et al. Ueda et al. Chen et al. Duparre Chen Hoppe et al. Scarff Takane Watts et al. Chae Smith Shinohara Chen Mauchly et al. Kwon et al.
8,363,337 8,390,729 8,391,697 8,395,851 8,400,555 8,400,717 8,439,265 8,446,484 8,451,549 8,483,452 8,503,107 8,514,491 8,514,502 8,553,106 8,587,691 8,619,148 8,780,465 8,880,923 8,854,745 8,896,655 8,958,164 8,976,255	B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B	1/2013 3/2013 3/2013 3/2013 3/2013 5/2013 5/2013 5/2013 5/2013 8/2013 8/2013 8/2013 8/2013 10/2013 10/2013 10/2013 12/2013 12/2014 8/2014 8/2014 8/2014 8/2014 8/2014 8/2014	Tang et al. Long et al. Cho et al. Tang et al. Georgiev et al. Chen et al. Ferren et al. Muukki et al. Yamanaka et al. Ueda et al. Chen et al. Duparre Chen Hoppe et al. Scarff Takane Watts et al. Chae Smith Shinohara Chen Mauchly et al. Kwon et al.
8,363,337 8,390,729 8,391,697 8,395,851 8,400,555 8,400,717 8,439,265 8,446,484 8,451,549 8,448,452 8,547,389 8,553,106 8,547,389 8,553,106 8,587,691 8,619,148 8,780,465 8,803,990 8,810,923 8,854,745 8,896,655 8,958,164 8,976,255 9,019,387	B_2 B_2 B_2 B_3 B_2	1/2013 3/2013 3/2013 3/2013 3/2013 5/2013 5/2013 5/2013 7/2013 8/2013 8/2013 8/2013 10/2013 10/2013 11/2013 12/2013 7/2014 8/2014 8/2014 8/2014 10/2014 2/2015 3/2015	Tang et al. Long et al. Cho et al. Tang et al. Georgiev et al. Chen et al. Ferren et al. Muukki et al. Yamanaka et al. Ueda et al. Ueda et al. Chen et al. Duparre Chen Hoppe et al. Scarff Takane Watts et al. Chae Smith Shinohara Chen Mauchly et al. Kwon et al. Nakano
8,363,337 8,390,729 8,391,697 8,395,851 8,400,555 8,400,717 8,439,265 8,446,484 8,451,549 8,483,452 8,503,107 8,514,491 8,514,502 8,547,389 8,553,106 8,587,691 8,619,148 8,780,465 8,803,990 8,810,923 8,854,745 8,8956,555 8,958,164 8,976,255 9,019,387 9,025,073	B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B	1/2013 3/2013 3/2013 3/2013 3/2013 5/2013 5/2013 5/2013 7/2013 8/2013 8/2013 8/2013 10/2013 10/2013 11/2013 12/2013 12/2014 8/2014 10/2014 11/2014 2/2015 3/2015 5/2015	Tang et al. Long et al. Cho et al. Tang et al. Georgiev et al. Chen et al. Ferren et al. Muukki et al. Yamanaka et al. Ueda et al. Chen et al. Duparre Chen Hoppe et al. Scarff Takane Watts et al. Chae Smith Shinohara Chen Mauchly et al. Kwon et al. Matsuoto et al. Nakano
8,363,337 8,390,729 8,391,697 8,395,851 8,400,555 8,400,717 8,439,265 8,440,484 8,451,549 8,483,452 8,547,389 8,553,106 8,587,691 8,619,148 8,780,465 8,803,990 8,810,923 8,854,745 8,896,655 9,019,387 9,025,073 9,025,073	B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B	1/2013 3/2013 3/2013 3/2013 3/2013 5/2013 5/2013 5/2013 5/2013 5/2013 8/2013 8/2013 8/2013 8/2013 10/2013 10/2013 11/2013 12/2013 7/2014 8/2014 8/2014 10/2014 2/2015 3/2015 5/2015 5/2015	Tang et al. Long et al. Cho et al. Tang et al. Georgiev et al. Chen et al. Ferren et al. Muukki et al. Yamanaka et al. Ueda et al. Uuda et al. Duparre Chen Hoppe et al. Scarff Takane Watts et al. Chae smith Shinohara Chen Mauchly et al. Matsuoto et al. Nakano Attar et al.
8,363,337 8,390,729 8,391,697 8,395,851 8,400,555 8,400,717 8,439,265 8,446,484 8,451,549 8,446,484 8,451,549 8,483,452 8,503,107 8,514,491 8,514,491 8,514,491 8,514,491 8,547,389 8,553,106 8,587,691 8,619,148 8,780,465 8,803,990 8,810,923 8,854,745 8,895,655 8,958,164 8,976,255 9,019,387 9,025,077	B_2 B_2	1/2013 3/2013 3/2013 3/2013 3/2013 5/2013 5/2013 5/2013 5/2013 8/2013 8/2013 8/2013 10/2013 10/2013 11/2013 12/2014 8/2014 8/2014 8/2014 8/2014 11/2014 2/2015 3/2015 5/2015 5/2015	Tang et al. Long et al. Cho et al. Tang et al. Georgiev et al. Chen et al. Ferren et al. Muukki et al. Yamanaka et al. Ueda et al. Chen et al. Duparre Chen Hoppe et al. Scarff Takane Watts et al. Chae Smith Shinohara Chen Mauchly et al. Kwon et al. Matsuoto et al. Nakano Attar et al.
8,363,337 8,390,729 8,391,697 8,395,851 8,400,555 8,400,717 8,439,265 8,446,484 8,451,549 8,483,452 8,503,107 8,514,491 8,514,491 8,514,491 8,514,491 8,514,491 8,514,491 8,514,491 8,514,491 8,514,491 8,514,491 8,514,491 8,553,106 8,587,691 8,619,148 8,780,465 8,803,990 8,810,923 8,854,745 8,956,555 8,958,164 8,976,255 9,019,387 9,025,077 9,025,077 9,025,077	B_2 B_2	1/2013 3/2013 3/2013 3/2013 3/2013 5/2013 5/2013 5/2013 5/2013 8/2013 8/2013 8/2013 8/2013 10/2013 10/2013 11/2013 12/2013 12/2014 8/2014 8/2014 8/2014 8/2014 11/2014 2/2015 3/2015 5/2015 5/2015	Tang et al. Long et al. Cho et al. Tang et al. Georgiev et al. Chen et al. Ferren et al. Muukki et al. Yamanaka et al. Ueda et al. Chen et al. Duparre Chen Hoppe et al. Scarff Takane Watts et al. Chae Smith Shinohara Chen Mauchly et al. Kwon et al. Matsuoto et al. Nakano Attar et al. Attar et al.
8,363,337 8,390,729 8,391,697 8,395,851 8,400,555 8,400,717 8,439,265 8,446,484 8,451,549 8,483,452 8,547,389 8,553,106 8,547,389 8,553,106 8,587,691 8,619,148 8,780,465 8,803,990 8,810,923 8,854,745 8,958,164 8,976,255 9,019,387 9,025,077 9,041,835 9,137,447	B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B2 B	1/2013 3/2013 3/2013 3/2013 3/2013 5/2013 5/2013 5/2013 5/2013 8/2013 8/2013 8/2013 10/2013 10/2013 10/2013 10/2013 11/2013 12/2013 7/2014 8/2014 8/2014 8/2014 8/2014 8/2014 11/2014 2/2015 5/2015 5/2015 5/2015 5/2015	Tang et al. Long et al. Cho et al. Tang et al. Georgiev et al. Chen et al. Ferren et al. Muukki et al. Yamanaka et al. Ueda et al. Chen et al. Duparre Chen et al. Scarff Takane Watts et al. Chae et al. Scarff Takane Watts et al. Chae Smith Shinohara Chen Mauchly et al. Kwon et al. Nakano Attar et al. Attar et al. Attar et al.

(56) **References** Cited

U.S. PATENT DOCUMENTS

9 185 291	R1	11/2015	Shahtay et al
0.215.377	B7	12/2015	Sakaila et al
9,215,577		12/2015	Sokena et al.
9,215,385	B2	12/2015	Luo
9,229,194	B2	1/2016	Yoneyama et al.
9,235,036 1	B2	1/2016	Kato et al.
9,270,875	B2	2/2016	Brisedoux et al.
9,279,957	B2	3/2016	Kanda et al.
9 286 680	B1	3/2016	Tiang et al
0 344 626	D1 D1	5/2016	Silverstein et al
9,344,020	D2	6/2010	
9,360,671	BI	6/2016	Znou
9,369,621	B2	6/2016	Malone et al.
9,405,099	B2	8/2016	Jo et al.
9,413,930	B2	8/2016	Geerds
9,413,984	B2	8/2016	Attar et al.
9,420,180	B2	8/2016	Jin
9 438 792	B2	9/2016	Nakada et al
0 485 422 1	D2 D1	11/2016	Madagani at al
0.499.902	D1 D2	11/2016	Chan at al
9,488,802	BZ	11/2016	Chen et al.
9,568,712	B2	2/2017	Dror et al.
9,578,257	B2	2/2017	Attar et al.
9,618,748	B2	4/2017	Munger et al.
9.661.233	B2 *	5/2017	Shabtay H04N 5/2258
9 678 310	B2	6/2017	Iwasaki et al
9,670,910	B2	6/2017	Attar et al
0 722 220 1	D2 D2	8/2017	Sugio
9,725,220	DZ D2	0/2017	Sugle
9,736,365	B2	8/2017	Laroia
9,736,391 🛛	B2	8/2017	Du et al.
9,768,310	B2	9/2017	Ahn et al.
9,800,798	B2	10/2017	Ravirala et al.
9.817.213	B2	11/2017	Mercado
9 851 803	B2	12/2017	Fisher et al
0 804 287	B2	2/2018	Oian et al
0,000,522	D2 D2	2/2018	Qian et al.
9,900,522	D2 D2	2/2018	Lu Caldarhann et al
9,927,600	BZ	3/2018	Goldenberg et al.
10,230,898	B2 *	3/2019	Cohen H04N 5/2258
2002/0005902	A1	1/2002	Yuen
2002/0063711 .	A1	5/2002	Park et al.
2002/0075258	A1	6/2002	Park et al.
2002/0122113	A1	9/2002	Foote
2003/0030729	A1	2/2003	Prentice et al.
2003/0093805	A 1	5/2003	Gin
2003/0160886	A 1	8/2003	Micawa et al
2003/0100880 /	A 1	10/2002	Vashikawa
2003/0202113	A1	1/2003	I OSIIIKawa
2004/0008773	AI	1/2004	Itokawa
2004/0017386	AI	1/2004	Liu et al.
2004/0027367	Al	2/2004	Pilu
2004/0061788 .	A1	4/2004	Bateman
2004/0240052	A1	12/2004	Minefuji et al.
2005/0013509	A1	1/2005	Samadani
2005/0046740	A1	3/2005	Davis
2005/0141103	A1	6/2005	Nishina
2005/0157184	A 1	7/2005	Nakanishi et al
2005/015/104	A 1	8/2005	Kakamani et al.
2005/0100040	1 I I I I I I I I I I I I I I I I I I I	0/2005	Loo
2003/0200718	AI	9/2003	
2006/0054782	AI	3/2006	Oisen et al.
2006/0056056	Al	3/2006	Ahiska et al.
2006/0125937	A1	6/2006	LeGall et al.
2006/0170793	A1	8/2006	Pasquarette et al.
2006/0175549	A1	8/2006	Miller et al.
2006/0187310	A 1	8/2006	Ianson et al
2006/0187312	A1	8/2006	Labaziewicz et al
2006/0187322	A 1	8/2000	Janson et al
2000/018/322 .	A1	0/2000	Janson et al.
2000/018/338	AI	8/2000	Nay et al.
2007/0024737	AL	2/2007	Nakamura et al.
2007/0025713	Al*	2/2007	Hosono G03B 17/12
2007/0177025	A 1	8/2007	Kopet et al.
2007/0188652	A 1	8/2007	Pollock et al
2007/01000000	4 1 A 1	0/2007	I DIDOK OL AL.
2007/0189380	AI AI	0/2007	magawa et al.
2007/0229983	AI	10/2007	Saori
2007/0257184	Al	11/2007	Olsen et al.
2007/0285550	A1	12/2007	Son
2008/0017557	A1	1/2008	Witdouck
2008/0024614	A1	1/2008	Li et al.
2008/0025634	A 1	1/2008	Border et al
2000/0020004 /		1 2000	Dorder et al.

2008/0030592	Al	2/2008	Border et al.
2008/0030611	A 1	2/2008	Ienkins
2000/00000011	A 1	4/2008	Oshi at al
2008/0084484	AI	4/2008	Ochi et al.
2008/0117316	Al	5/2008	Orimoto
2008/0187310	A1	8/2008	Tanaka
2008/0218611	A 1	0/2008	Pomulski ot el
2000/0210011	<u></u>	9/2008	
2008/0218612	AI	9/2008	Border et al.
2008/0218613	A1*	9/2008	Janson
			248/262
			546/202
2008/0219654	AI	9/2008	Border et al.
2008/0304161	A1	12/2008	Souma
2000/0002830	A 1	1/2000	Sato
2009/0002839	AI	1/2009	
2009/00860/4	AI	4/2009	Li et al.
2009/0122195	A1	5/2009	Van Baar et al.
2009/0122406	Δ1	5/2009	Rouvinen et al
2000/0122400	A1	5/2005	D 1 4 1
2009/0122423	AI	5/2009	Park et al.
2009/0128644	A1	5/2009	Camp et al.
2009/0219547	A 1	9/2009	Kauhanen et al
2000/0252494	A 1	10/2000	Haguda at al
2009/0232404	AI	10/2009	
2009/0295949	AI	12/2009	Ojala
2010/0013906	A1	1/2010	Border et al.
2010/0020221	A 1	1/2010	Tunman et al
2010/0020221	40	2/2010	Olaan at al
2010/0000/40	A9	5/2010	Olsen et al.
2010/0103194	Al	4/2010	Chen et al.
2010/0238327	A1	9/2010	Griffith et al.
2010/0277260	A 1	11/2010	Scorff
2010/02/7209	AL	11/2010	
2010/0283842	Al*	11/2010	Guissin G02B 13/06
			348/68
2011/0001020	A 1	1/2011	J-0/00
2011/0001838	AI	1/2011	Lee
2011/0018970	A1*	1/2011	Wakabayashi H04N 5/2251
			3/18//17
2011/00/4227		2/2011	D 1 / 1
2011/0064327	AI	3/2011	Dagner et al.
2011/0080487	A1	4/2011	Venkataraman et al.
2011/0115965	A1	5/2011	Engelhardt et al.
2011/0128288	A 1	6/2011	Botron at al
2011/0120200	AI	0/2011	
2011/0164172	AI	7/2011	Shintani et al.
2011/0229054	A1	9/2011	Weston et al.
2011/0234853	A 1	0/2011	Havashi et al
2011/0234091	A1	0/2011	
2011/0234881	AI	9/2011	wakabayashi et al.
2011/0242286	A1	10/2011	Pace et al.
2011,02.2200		10/2011	
2011/0242355	A 1	10/2011	Goma et al
2011/0242355	A1	10/2011	Goma et al.
2011/0242355 2012/0026366	A1 A1*	10/2011 2/2012	Goma et al. Golan H04N 5/232
2011/0242355 2012/0026366	A1 A1*	10/2011 2/2012	Goma et al. Golan H04N 5/232 348/240.2
2011/0242355 2012/0026366 2012/0062780	A1 A1*	10/2011 10/2011 2/2012 3/2012	Goma et al. Golan H04N 5/232 348/240.2 Morihisa
2011/0242355 2012/0026366 2012/0062780 2012/006235	A1 A1* A1	10/2011 2/2012 3/2012	Goma et al. Golan H04N 5/232 348/240.2 Morihisa
2011/0242355 2012/0026366 2012/0062780 2012/0069235	A1 A1* A1 A1	10/2011 10/2011 2/2012 3/2012 3/2012	Goma et al. Golan H04N 5/232 348/240.2 Morihisa Imai
2011/0242355 2012/0026366 2012/0062780 2012/0069235 2012/0075489	A1 A1* A1 A1 A1 A1	3/2012 3/2012 3/2012 3/2012	Goma et al. Golan H04N 5/232 348/240.2 Morihisa Imai Nishihara
2011/0242355 2012/0026366 2012/0062780 2012/0069235 2012/0075489 2012/0092777	A1 A1* A1 A1 A1 A1 A1	3/2012 3/2012 3/2012 3/2012 3/2012 4/2012	Goma et al. Golan H04N 5/232 348/240.2 Morihisa Imai Nishihara Tochigi et al.
2011/0242355 2012/0026366 2012/0062780 2012/0069235 2012/0075489 2012/0092777 2012/0105579	A1 A1* A1 A1 A1 A1 A1 A1	10/2011 2/2012 3/2012 3/2012 3/2012 3/2012 4/2012 5/2012	Goma et al. Golan H04N 5/232 348/240.2 Morihisa Imai Nishihara Tochigi et al. Jeon et al.
2011/0242355 2012/0026366 2012/0062780 2012/0069235 2012/0075489 2012/0092777 2012/0105770	A1 A1* A1 A1 A1 A1 A1 A1	3/2012 3/2012 3/2012 3/2012 3/2012 3/2012 4/2012 5/2012	Goma et al. Golan H04N 5/232 348/240.2 Morihisa Imai Nishihara Tochigi et al. Jeon et al. Ukaixuma
2011/0242355 2012/0026366 2012/0062780 2012/0062780 2012/0075489 2012/0075489 2012/007579 2012/0105579 2012/0105708	A1 A1* A1 A1 A1 A1 A1 A1 A1 A1	3/2012 3/2012 3/2012 3/2012 3/2012 3/2012 4/2012 5/2012 5/2012	Goma et al. Golan H04N 5/232 348/240.2 Morihisa Imai Nishihara Tochigi et al. Jeon et al. Hagiwara
2011/0242355 2012/0062780 2012/0069235 2012/0075489 2012/0092777 2012/0105579 2012/0105708 2012/0105708	A1 A1* A1 A1 A1 A1 A1 A1 A1 A1 A1	3/2012 3/2012 3/2012 3/2012 3/2012 3/2012 3/2012 5/2012 5/2012 6/2012	Goma et al. Golan H04N 5/232 348/240.2 Morihisa Imai Nishihara Tochigi et al. Jeon et al. Hagiwara Tsai et al.
2011/0242355 2012/0026366 2012/0062780 2012/0069235 2012/0075489 2012/0092777 2012/0105579 2012/015579 2012/0154929 2012/0196648	A1 A1* A1 A1 A1 A1 A1 A1 A1 A1 A1 A1	3/2012 3/2012 3/2012 3/2012 3/2012 3/2012 4/2012 5/2012 5/2012 6/2012 8/2012	Goma et al. Golan H04N 5/232 348/240.2 Morihisa Imai Nishihara Tochigi et al. Jeon et al. Hagiwara Tsai et al. Havens et al.
2011/0242355 2012/0062780 2012/0062780 2012/0069235 2012/0075489 2012/0092777 2012/0105579 2012/0105579 2012/0154929 2012/012643	A1 A1* A1 A1 A1 A1 A1 A1 A1 A1 A1 A1	3/2012 3/2012 3/2012 3/2012 3/2012 3/2012 4/2012 5/2012 5/2012 6/2012 8/2012	Goma et al. Golan H04N 5/232 348/240.2 Morihisa Imai Nishihara Tochigi et al. Jeon et al. Hagiwara Tsai et al. Havens et al.
2011/0242355 2012/0026366 2012/0062780 2012/0069235 2012/0075489 2012/0092777 2012/0105579 2012/0154929 2012/0154929 2012/0154929 2012/0154929	A1 A1* A1 A1 A1 A1 A1 A1 A1 A1 A1 A1	3/2011 2/2012 3/2012 3/2012 3/2012 3/2012 5/2012 5/2012 5/2012 8/2012 9/2012	Goma et al. Golan H04N 5/232 348/240.2 Morihisa Imai Nishihara Tochigi et al. Jeon et al. Hagiwara Tsai et al. Havens et al. Nelson et al.
2011/0242355 2012/0026366 2012/0062780 2012/0069235 2012/0075489 2012/0092777 2012/0105779 2012/0105799 2012/0196648 2012/0229663 2012/0249815	A1 A1* A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1	3/2012 3/2012 3/2012 3/2012 3/2012 4/2012 5/2012 5/2012 5/2012 6/2012 8/2012 9/2012	Goma et al. Golan H04N 5/232 348/240.2 Morihisa Imai Nishihara Tochigi et al. Jeon et al. Hagiwara Tsai et al. Havens et al. Nelson et al. Bohn et al.
2011/0242355 2012/0062780 2012/0062780 2012/0075489 2012/0092777 2012/0105579 2012/0105579 2012/0154929 2012/0154929 2012/0129663 2012/0249815 2012/0249815	A1 A1* A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1	3/2011 2/2012 3/2012 3/2012 3/2012 3/2012 4/2012 5/2012 5/2012 6/2012 8/2012 9/2012 10/2012	Goma et al. Golan H04N 5/232 348/240.2 Morihisa Imai Nishihara Tochigi et al. Jeon et al. Hagiwara Tsai et al. Havens et al. Nelson et al. Bohn et al. Huang et al.
2011/0242355 2012/0026366 2012/0062780 2012/0069235 2012/0075489 2012/01075489 2012/0105579 2012/0105579 2012/0154929 2012/0196648 2012/0229663 2012/0249815 2012/0320467	A1 A1* A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1	3/2012 3/2012 3/2012 3/2012 3/2012 4/2012 5/2012 5/2012 5/2012 6/2012 8/2012 9/2012 10/2012 11/2012	Goma et al. Golan H04N 5/232 348/240.2 Morihisa Imai Nishihara Tochigi et al. Jeon et al. Hagiwara Tsai et al. Havens et al. Nelson et al. Bohn et al. Huang et al. Baik et al
2011/0242355 2012/0026366 2012/0062780 2012/0069235 2012/0075489 2012/0105779 2012/0105779 2012/0105778 2012/0196648 2012/0229663 2012/0229663 2012/0229815 2012/02297315 2012/022928	A1 A1* A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1	3/2012 3/2012 3/2012 3/2012 4/2012 5/2012 5/2012 5/2012 5/2012 5/2012 10/2012 11/2012 12/2012	Goma et al. Golan H04N 5/232 348/240.2 Morihisa Imai Nishihara Tochigi et al. Jeon et al. Hagiwara Tsai et al. Havens et al. Nelson et al. Bohn et al. Huang et al. Baik et al. Huang et al. Baik et al.
2011/0242355 2012/0026366 2012/0062780 2012/0069235 2012/0075489 2012/0092777 2012/0105579 2012/015579 2012/0154929 2012/0154929 2012/0154929 2012/0154929 2012/0229663 2012/0229663 2012/0287315 2012/0320467 2013/0002928	A1 A1* A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1	3/2012 3/2012 3/2012 3/2012 3/2012 3/2012 5/2012 5/2012 6/2012 8/2012 8/2012 9/2012 10/2012 11/2012 12/2012 1/2013	Goma et al. Golan H04N 5/232 348/240.2 Morihisa Imai Nishihara Tochigi et al. Jeon et al. Hagiwara Tsai et al. Havens et al. Nelson et al. Bohn et al. Huang et al. Baik et al. Imai
2011/0242355 2012/0026366 2012/0062780 2012/0069235 2012/0075489 2012/0092777 2012/0105579 2012/015579 2012/0154929 2012/0196648 2012/0229663 2012/0249815 2012/0287315 2012/0287315 2012/0287315 2012/002928 2013/0002928 2013/0002928	A1 A1* A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1	3/2012 3/2012 3/2012 3/2012 3/2012 5/2012 5/2012 5/2012 5/2012 5/2012 8/2012 9/2012 10/2012 11/2012 1/2013 1/2013	Goma et al. Golan H04N 5/232 348/240.2 Morihisa Imai Nishihara Tochigi et al. Jeon et al. Hagiwara Tsai et al. Havens et al. Nelson et al. Bohn et al. Huang et al. Baik et al. Imai Yahata
2011/0242355 2012/0026366 2012/0069235 2012/0075489 2012/0075489 2012/0105779 2012/0105779 2012/0105778 2012/0196648 2012/0229663 2012/022963 2012/022963 2012/02297315 2012/02294815 2012/02294815 2012/022947315 2012/0320467 2013/00029842 2013/0135445	A1 A1* A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1	3/2012 3/2012 3/2012 3/2012 3/2012 3/2012 5/2012 5/2012 5/2012 5/2012 5/2012 10/2012 11/2012 12/2012 1/2013 4/2013 5/2013	Goma et al. Golan H04N 5/232 348/240.2 Morihisa Imai Nishihara Tochigi et al. Jeon et al. Hagiwara Tsai et al. Havens et al. Nelson et al. Bohn et al. Bohn et al. Baik et al. Imai Yahata Dahi et al.
2011/0242355 2012/0026366 2012/0062780 2012/0069235 2012/0075489 2012/0092777 2012/0105579 2012/0154929 2012/0154929 2012/0154929 2012/0154929 2012/0154929 2012/0249815 2012/0229663 2012/0249815	A1 A1* A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1	3/2012 3/2012 3/2012 3/2012 3/2012 3/2012 5/2012 5/2012 5/2012 6/2012 8/2012 9/2012 11/2012 1/2012 1/2013 4/2013 5/2013 7/2013	Goma et al. Golan H04N 5/232 348/240.2 Morihisa Imai Nishihara Tochigi et al. Jeon et al. Hagiwara Tsai et al. Havens et al. Nelson et al. Bohn et al. Huang et al. Baik et al. Imai Yahata Dahi et al. Acabura
2011/0242355 2012/0026366 2012/0062780 2012/0069235 2012/0075489 2012/0105779 2012/0105779 2012/0105709 2012/0196648 2012/0229663 2012/0249815 2012/0287315 2012/0287315 2012/0287315 2013/0002928 2013/002928 2013/0135445 2013/0182150	A1 A1* A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1	3/2012 3/2012 3/2012 3/2012 3/2012 4/2012 5/2012 5/2012 5/2012 8/2012 8/2012 1/2012 1/2012 1/2013 5/2013 7/2013	Goma et al. Golan H04N 5/232 348/240.2 Morihisa Imai Nishihara Tochigi et al. Jeon et al. Hagiwara Tsai et al. Havens et al. Nelson et al. Bohn et al. Huang et al. Baik et al. Imai Yahata Dahi et al. Asakura
2011/0242355 2012/0062780 2012/0062780 2012/0069235 2012/0075489 2012/0105779 2012/0105779 2012/0105778 2012/015708 2012/015708 2012/029663 2012/0249815 2012/0249815 2012/0249815 2012/0249815 2012/0249815 2012/0249815 2012/0249815 2013/0009282 2013/0093842 2013/0182150 2013/0201360	A1 A1* A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1	3/2012 3/2012 3/2012 3/2012 3/2012 3/2012 5/2012 5/2012 5/2012 5/2012 6/2012 9/2012 11/2012 12/2012 12/2013 4/2013 5/2013 8/2013	Goma et al. Golan H04N 5/232 348/240.2 Morihisa Imai Nishihara Tochigi et al. Jeon et al. Hagiwara Tsai et al. Havens et al. Bohn et al. Bohn et al. Baik et al. Imai Yahata Dahi et al. Asakura Song
2011/0242355 2012/0026366 2012/0062780 2012/0069235 2012/0075489 2012/0105579 2012/0105579 2012/015579 2012/0154929 2012/0196648 2012/0229663 2012/0249815 2012/0249815 2012/0249815 2012/002928 2013/0002928 2013/0002928 2013/0002928 2013/0002928 2013/002928 2013/0135445 2013/0201360 2013/0202273	A1 A1* A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1	3/2012 3/2012 3/2012 3/2012 3/2012 4/2012 5/2012 5/2012 5/2012 6/2012 9/2012 10/2012 11/2012 12/2013 4/2013 5/2013 5/2013 8/2013	Goma et al. Golan H04N 5/232 348/240.2 Morihisa Imai Nishihara Tochigi et al. Jeon et al. Hagiwara Tsai et al. Havens et al. Nelson et al. Bohn et al. Huang et al. Baik et al. Imai Yahata Dahi et al. Asakura Song Ouedraogo et al.
2011/0242355 2012/0062780 2012/0069235 2012/0069235 2012/0075489 2012/010579 2012/010579 2012/0196648 2012/0229663 2012/0229663 2012/022963 2012/022987315 2012/022987315 2012/02298842 2013/0093842 2013/0135445 2013/0182150 2013/02012673 2013/02012673	A1 A1* A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1	3/2012 3/2012 3/2012 3/2012 4/2012 5/2012 5/2012 5/2012 5/2012 5/2012 10/2012 11/2012 11/2013 4/2013 5/2013 8/2013 8/2013	Goma et al. Golan H04N 5/232 348/240.2 Morihisa Imai Nishihara Tochigi et al. Jeon et al. Hayewara Tsai et al. Havens et al. Nelson et al. Bohn et al. Bohn et al. Baik et al. Imai Yahata Dahi et al. Asakura Song Ouedraogo et al. Park
2011/0242355 2012/00242355 2012/0026366 2012/0069235 2012/0075489 2012/0092777 2012/0105579 2012/0154929 2012/0154929 2012/0154929 2012/0249815 2012/0229663 2012/0249815 2012/022963 2013/0093842 2013/0093842 2013/013201360 2013/0201360 2013/0202524	A1 A1* A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1	3/2012 3/2012 3/2012 3/2012 3/2012 5/2012 5/2012 5/2012 6/2012 8/2012 9/2012 11/2012 11/2012 1/2013 4/2013 5/2013 8/2013 8/2013 8/2013	Goma et al. Golan H04N 5/232 348/240.2 Morihisa Imai Nishihara Tochigi et al. Jeon et al. Hagiwara Tsai et al. Havens et al. Huang et al. Bohn et al. Huang et al. Baik et al. Imai Yahata Dahi et al. Asakura Song Ouedraogo et al. Park
2011/0242355 2012/0026366 2012/0062780 2012/0069235 2012/0075489 2012/0105579 2012/0105579 2012/0154929 2012/0196648 2012/0229663 2012/0249815 2012/0249815 2012/022963 2012/0249815 2012/022963 2013/0002928 2013/0002928 2013/0002928 2013/002928 2013/0029283 2013/0202273 2013/0202273 2013/0202273	A1 A1* A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1	3/2012 3/2012 3/2012 3/2012 4/2012 5/2012 5/2012 5/2012 5/2012 6/2012 8/2012 10/2012 10/2012 11/2012 12/2013 4/2013 5/2013 8/2013 8/2013 8/2013	Goma et al. Golan H04N 5/232 348/240.2 Morihisa Imai Nishihara Tochigi et al. Jeon et al. Hagiwara Tsai et al. Havens et al. Nelson et al. Bohn et al. Huang et al. Baik et al. Imai Yahata Dahi et al. Asakura Song Ouedraogo et al. Park Park et al.
2011/0242355 2012/0026366 2012/0026366 2012/0062780 2012/0075489 2012/010579 2012/010579 2012/010579 2012/0196648 2012/0229663 2012/0249815 2012/0229663 2012/0249815 2012/022963 2013/002298 2013/0093842 2013/0135445 2013/0201360 2013/0201360 2013/0201360 2013/0201360 2013/0235224 2013/02350150	A1 A1* A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1	3/2012 3/2012 3/2012 3/2012 4/2012 5/2012 5/2012 5/2012 5/2012 5/2012 5/2012 10/2012 11/2012 11/2012 11/2013 4/2013 8/2013 8/2013 8/2013 9/2013	Goma et al. Golan H04N 5/232 348/240.2 Morihisa Imai Nishihara Tochigi et al. Jeon et al. Hagiwara Tsai et al. Havens et al. Bohn et al. Huang et al. Baik et al. Imai Yahata Dahi et al. Asakura Song Ouedraogo et al. Park Park et al. Malone et al.
2011/0242355 2012/0026366 2012/0062780 2012/0069235 2012/0075489 2012/0105579 2012/0105579 2012/0154929 2012/0154929 2012/0154929 2012/0196648 2012/0229663 2012/0249815 2012/0320467 2013/0002928 2013/0002928 2013/0002928 2013/0023842 2013/021360 2013/0201360 2013/0201360 2013/02258044	A1 A1* A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1	3/2012 3/2012 3/2012 3/2012 3/2012 3/2012 5/2012 5/2012 5/2012 6/2012 9/2012 10/2012 11/2012 12/2013 4/2013 5/2013 8/2013 8/2013 8/2013 9/2013 9/2013	Goma et al. Golan
2011/0242355 2012/0026366 2012/0062780 2012/0069235 2012/0075489 2012/0092777 2012/0105779 2012/0105779 2012/015799 2012/0196648 2012/0229663 2012/0249815 2012/0287315 2012/0287315 2012/029288 2013/0002928 2013/0002928 2013/0029288 2013/0135445 2013/0208178 2013/0208178 2013/0258150 2013/0258150 2013/0258150 2013/0258150 2013/0258150	A1 A1* A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1	3/2012 3/2012 3/2012 3/2012 4/2012 5/2012 5/2012 5/2012 5/2012 5/2012 8/2012 10/2012 11/2012 12/2012 1/2013 5/2013 5/2013 8/2013 8/2013 9/2013 9/2013 9/2013	Goma et al. Golan
2011/0242355 2012/0026366 2012/0062780 2012/0069235 2012/0075489 2012/0092777 2012/0105579 2012/0154929 2012/0154929 2012/0154929 2012/0154929 2012/0154929 2012/0229663 2012/0229663 2012/0229663 2012/0229663 2013/002928 2013/002928 2013/00293842 2013/0182150 2013/0201360 2013/02250150 2013/0250150 2013/0250150 2013/0286488	A1 A1* A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1	3/2012 3/2012 3/2012 3/2012 4/2012 5/2012 5/2012 5/2012 5/2012 5/2012 5/2012 10/2012 11/2012 11/2012 11/2013 4/2013 8/2013 8/2013 8/2013 9/2013 10/2013 10/2013	Goma et al. Golan
2011/0242355 2012/0026366 2012/0062780 2012/0069235 2012/0075489 2012/0092777 2012/0105579 2012/015579 2012/015579 2012/0196648 2012/0229663 2012/0249815 2012/0249815 2012/0249815 2012/029843 2013/0002928 2013/0002928 2013/0002928 2013/0002928 2013/00292844 2013/0286488 2013/0286488 2013/0321668	A1 A1* A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1	3/2012 3/2012 3/2012 3/2012 3/2012 4/2012 5/2012 5/2012 5/2012 6/2012 9/2012 10/2012 11/2012 12/2013 4/2013 5/2013 8/2013 8/2013 8/2013 9/2013 10/2013 10/2013	Goma et al. Golan
2011/0242355 2012/0026366 2012/0062780 2012/0069235 2012/0075489 2012/0092777 2012/0105779 2012/0105779 2012/015799 2012/0196648 2012/0229663 2012/0249815 2012/0287315 2012/0287315 2012/02928 2013/0093842 2013/0135445 2013/029288 2013/02928178 2013/0208178 2013/0208178 2013/0250150 2013/0250150 2013/0250150 2013/0250150 2013/0250150 2013/0256844 2013/0226168 2014/0022436	A1 A1* A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1	3/2012 3/2012 3/2012 3/2012 4/2012 5/2012 5/2012 5/2012 8/2012 8/2012 1/2012 1/2013 5/2013 8/2013 8/2013 8/2013 9/2013 9/2013 10/2013 10/2013 1/2014	Goma et al. Golan H04N 5/232 348/240.2 Morihisa Imai Nishihara Tochigi et al. Jeon et al. Hayems et al. Havens et al. Nelson et al. Bohn et al. Bohn et al. Huang et al. Baik et al. Imai Yahata Dahi et al. Asakura Song Ouedraogo et al. Park Park et al. Malone et al. Betts-LaCroix Chae Kamath Kim et al.
2011/0242355 2012/00242355 2012/0062780 2012/0069235 2012/0075489 2012/0092777 2012/0105579 2012/0105579 2012/0154929 2012/0154929 2012/0154929 2012/02963 2012/02963 2012/029815 2013/029282 2013/0093842 2013/013545 2013/0201360 2013/0201360 2013/0201360 2013/0201360 2013/0250150 2013/0250150 2013/0250150 2013/0250150 2013/0258044 2013/0258044 2013/0226488 2014/0049615	A1 * A1 * A1	3/2012 3/2012 3/2012 3/2012 3/2012 5/2012 5/2012 5/2012 6/2012 8/2012 9/2012 11/2012 11/2012 11/2013 4/2013 8/2013 8/2013 8/2013 8/2013 9/2013 10/2013 10/2013 10/2013 12/2014 2/2014	Goma et al. Golan H04N 5/232 348/240.2 Morihisa Imai Nishihara Tochigi et al. Jeon et al. Hagiwara Tsai et al. Havens et al. Bohn et al. Huang et al. Baik et al. Imai Yahata Dahi et al. Asakura Song Ouedraogo et al. Park Park et al. Malone et al. Betts-LaCroix Chae Kamath Kim et al. Uwagawa
2011/0242355 2012/0026366 2012/0062780 2012/0069235 2012/0075489 2012/0105579 2012/0105579 2012/015798 2012/0196648 2012/0229663 2012/0249815 2012/0249815 2012/0249815 2012/0229663 2012/0249815 2012/029288 2013/0002928 2013/0002928 2013/0002928 2013/0029288 2013/0202273 2013/0202273 2013/0202273 2013/0202273 2013/0202178 2013/0225224 2013/02250150 2013/02280448 2013/02286488 2014/0022436 2014/0022436 2014/002468	A1 A1* A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1	3/2012 3/2012 3/2012 3/2012 4/2012 5/2012 5/2012 5/2012 6/2012 9/2012 10/2012 10/2012 10/2012 12/2013 4/2013 5/2013 8/2013 8/2013 8/2013 8/2013 8/2013 10/2013 10/2013 12/2014 2/2014 2/2014	Goma et al. Golan
2011/0242355 2012/0062780 2012/0069235 2012/0069235 2012/0075489 2012/0105799 2012/0105799 2012/0105799 2012/0196648 2012/029663 2012/029663 2012/02987315 2012/0287315 2012/02928 2013/0093842 2013/0093842 2013/0093842 2013/029288 2013/029288 2013/0208178 2013/0208178 2013/0208178 2013/0250150 2013/0258044 2013/0258044 2013/0258044 2013/0228156 2014/0022436 2014/0022436 2014/0022436	A1 A1* A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1	3/2012 3/2012 3/2012 3/2012 4/2012 5/2012 5/2012 5/2012 5/2012 6/2012 8/2012 1/2012 1/2013 5/2013 8/2013 8/2013 8/2013 8/2013 8/2013 10/2013 10/2013 12/2014 2/2014 5/2014	Goma et al. Golan
2011/0242355 2012/00242355 2012/0062780 2012/0069235 2012/0075489 2012/0092777 2012/0105579 2012/0154929 2012/0154929 2012/0154929 2012/0154929 2012/0196648 2012/0229663 2012/0249815 2012/0320467 2013/0002928 2013/0002928 2013/0002928 2013/0023844 2013/02201360 2013/0221360 2013/02258044 2013/0258044 2014/002436	A1 A1* A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1	3/2012 3/2012 3/2012 3/2012 3/2012 3/2012 5/2012 5/2012 5/2012 6/2012 8/2012 10/2012 11/2012 12/2012 1/2013 8/2013 8/2013 8/2013 8/2013 10/2013 10/2013 10/2013 10/2014 2/2014 2/2014	Goma et al. Golan
2011/0242355 2012/0026366 2012/0062780 2012/0069235 2012/0075489 2012/0105579 2012/0105579 2012/0154929 2012/0196648 2012/0229663 2012/0249815 2012/0249815 2012/0249815 2012/022963 2012/0249815 2012/022963 2013/002928 2013/002928 2013/0029288 2013/0202273 2013/0202273 2013/0202273 2013/0202273 2013/0202273 2013/0202273 2013/0225150 2013/02286488 2013/02250150 2013/02286488 2013/02286488 2013/02286488 2014/0022436 2014/0024365 2014/0192238 2014/0192238	A1 * A1 * A1	3/2012 3/2012 3/2012 3/2012 3/2012 5/2012 5/2012 5/2012 5/2012 5/2012 9/2012 10/2012 10/2012 11/2012 12/2013 4/2013 5/2013 8/2013 8/2013 9/2013 10/2013 10/2013 10/2013 10/2013 10/2013 1/2014 2/2014 5/2014 7/2014	Goma et al. Golan
2011/0242355 2012/00242355 2012/0026366 2012/0069235 2012/0059235 2012/0075489 2012/0105579 2012/0105579 2012/0154929 2012/0154929 2012/0154929 2012/0154929 2012/0154929 2012/029663 2012/029663 2012/0297315 2013/02029663 2013/002928 2013/0182150 2013/0201360 2013/02250150 2013/0250150 2013/0250150 2013/0258044 2013/0258044 2013/0258044 2013/0258044 2013/0258044 2013/0258044 2013/0258044 2013/0258044 2013/024365 2014/0049615 2014/0192238 2014/0192233 2014/0204480	A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A	3/2012 3/2012 3/2012 3/2012 3/2012 5/2012 5/2012 5/2012 6/2012 8/2012 9/2012 11/2012 11/2012 11/2013 4/2013 8/2013 8/2013 8/2013 8/2013 8/2013 10/2013 10/2013 10/2013 10/2013 10/2014 7/2014 7/2014 7/2014	Goma et al. Golan H04N 5/232 348/240.2 Morihisa Imai Nishihara Tochigi et al. Jeon et al. Hagiwara Tsai et al. Havens et al. Havens et al. Bohn et al. Huang et al. Baik et al. Imai Yahata Dahi et al. Asakura Song Ouedraogo et al. Park Park et al. Malone et al. Betts-LaCroix Chae Kamath Kim et al. Uwagawa Lee et al. Atta et al. Laroia Jo et al.
2011/0242355 2012/0026366 2012/0062780 2012/0069235 2012/0075489 2012/0105779 2012/0105779 2012/0105779 2012/0154929 2012/0154929 2012/0196648 2012/0229663 2012/0249815 2012/0229663 2012/0249815 2012/0229663 2012/0249815 2012/020467 2013/0002928 2013/002928 2013/0029284 2013/0235224 2013/0235224 2013/02258044 2013/02258044 2013/02258044 2013/02258044 2013/02258044 2013/022436 2014/0022436 2014/0022436 2014/0118584 2014/0192253 2014/0192253 2014/0192253	A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A	3/2012 3/2012 3/2012 3/2012 3/2012 5/2012 5/2012 5/2012 6/2012 9/2012 10/2012 11/2012 12/2012 1/2013 4/2013 5/2013 8/2013 8/2013 8/2013 8/2013 8/2013 10/2013 12/2014 1/2014 7/2014 7/2014 7/2014	Goma et al. Golan
2011/0242355 2012/0062780 2012/0069235 2012/0069235 2012/0075489 2012/0092777 2012/0105779 2012/0105779 2012/015799 2012/0196648 2012/0229663 2012/0249815 2012/0287315 2012/0287315 2012/0292863 2012/029845 2013/0002928 2013/002928 2013/0029288 2013/0208178 2013/0208178 2013/0208178 2013/0226150 2013/0226150 2013/0250150 2013/0226150 2013/0258044 2013/0258150 2013/0226150 2013/0226150 2013/0226150 2013/0226150 2013/0226150 2014/0049615 2014/0192238 2014/0192253 2014/024480 2014/0192253	A1 A1* A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1	3/2012 3/2012 3/2012 3/2012 4/2012 5/2012 5/2012 5/2012 5/2012 6/2012 8/2012 1/2012 1/2012 1/2013 5/2013 7/2013 8/2013 8/2013 9/2013 9/2013 10/2013 10/2013 10/2013 10/2013 10/2013 1/2014 2/2014 7/2014 7/2014 7/2014	Goma et al. Golan H04N 5/232 348/240.2 Morihisa Imai Nishihara Tochigi et al. Jeon et al. Haywara Tsai et al. Havens et al. Nelson et al. Bohn et al. Huang et al. Baik et al. Imai Yahata Dahi et al. Asakura Song Ouedraogo et al. Park Park et al. Malone et al. Betts-LaCroix Chae Kamath Kim et al. Uwagawa Lee et al. Attar et al. Laroia Jo et al.
2011/0242355 2012/00242355 2012/0062780 2012/0069235 2012/0075489 2012/0092777 2012/0105579 2012/0105579 2012/0154929 2012/0154929 2012/0154929 2012/0154929 2012/02963 2012/029815 2012/0297315 2013/02028178 2013/0201360 2013/02028178 2013/02250150 2013/0250150 2013/0250150 2013/0250150 2013/0250150 2013/0250150 2013/0250150 2013/0250150 2013/0250150 2013/0250150 2013/0250150 2013/0250150 2013/0250150 2013/0250150 2013/0258044 2013/0258044 2014/0192238 2014/0192258 2014/02485907 2014/0285907	A1 * A1	3/2012 3/2012 3/2012 3/2012 3/2012 5/2012 5/2012 5/2012 6/2012 8/2012 9/2012 11/2012 11/2012 1/2013 4/2013 8/2013 8/2013 8/2013 8/2013 8/2013 10/2013 10/2013 10/2013 10/2013 10/2014 5/2014 7/2014 7/2014 7/2014 7/2014	Goma et al. Golan
2011/0242355 2012/0026366 2012/0062780 2012/0069235 2012/0075489 2012/0105779 2012/0105779 2012/0154929 2012/0154929 2012/0196648 2012/0229663 2012/0249815 2012/0229663 2012/0249815 2012/0229663 2012/0249815 2012/0320467 2013/0002928 2013/0029288 2013/0135445 2013/0135445 2013/0202273 2013/0208178 2013/0235224 2013/0286488 2013/0286488 2013/02286488 2013/02286488 2013/02286488 2013/02286488 2013/02286488 2013/02286488 2013/02286488 2013/02286488 2013/02286488 2013/02286488 2013/02286488 2013/02286488 2013/02286488 2013/02286488 2014/0022436 2014/0192238 2014/0192233 2014/0293453 2014/0293453 2014/0313316	A1 * A1	3/2011 2/2012 3/2012 3/2012 3/2012 4/2012 5/2012 5/2012 5/2012 6/2012 9/2012 10/2012 11/2012 12/2013 4/2013 5/2013 8/2013 8/2013 8/2013 8/2013 8/2013 8/2013 8/2013 10/2013 12/2014 1/2014 7/2014 7/2014 7/2014 7/2014 7/2014 7/2014	Goma et al. Golan
2011/0242355 2012/00242355 2012/0062780 2012/0069235 2012/0075489 2012/0105779 2012/0105779 2012/015779 2012/015779 2012/0196648 2012/0229663 2012/0249815 2012/0249815 2012/0249815 2012/0229663 2012/0249815 2012/0229663 2012/0229663 2012/0229663 2013/002928 2013/002928 2013/002928 2013/0208178 2013/0208178 2013/0226150 2013/0226150 2013/0226150 2013/0226150 2013/0226150 2013/0226150 2013/0226150 2013/0226150 2013/0226150 2013/0226150 2013/0226150 2014/01452 2014/0192253 2014/024480 2014/0223453 2014/024480 2014/0245242	A1 A1* A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1 A1	3/2012 3/2012 3/2012 3/2012 4/2012 5/2012 5/2012 5/2012 5/2012 5/2012 8/2012 1/2012 1/2012 1/2013 5/2013 7/2013 8/2013 8/2013 9/2013 9/2013 10/2013 10/2013 1/2014 7/2014 7/2014 7/2014 7/2014 7/2014 7/2014	Goma et al. Golan
2011/0242355 2012/0026366 2012/0062780 2012/0069235 2012/0075489 2012/0092777 2012/0105579 2012/0105579 2012/0154929 2012/0154929 2012/0154929 2012/0154929 2012/02963 2012/02963 2012/029648 2013/002928 2013/0032467 2013/02021360 2013/0201360 2013/0201360 2013/0201360 2013/0201360 2013/0201360 2013/0258044 2013/0258044 2013/0258044 2013/0258044 2013/022436 2014/0049615 2014/018584 2014/0192238 2014/0192253 2014/0285907 2014/0285907 2014/0285907	A1 * A1	3/2012 3/2012 3/2012 3/2012 3/2012 3/2012 5/2012 5/2012 5/2012 6/2012 10/2012 11/2012 1/2013 4/2013 8/2013 8/2013 8/2013 8/2013 8/2013 8/2013 8/2013 10/2013 10/2013 10/2013 10/2014 7/2014 7/2014 7/2014 7/2014 7/2014 10/2014 10/2014 10/2014	Goma et al. Golan
2011/0242355 2012/0026366 2012/0062780 2012/0069235 2012/0075489 2012/010579 2012/010579 2012/010579 2012/0154929 2012/0196648 2012/0229663 2012/0249815 2012/0249815 2012/022963 2012/0249815 2012/0229663 2012/0249815 2012/0320467 2013/0002928 2013/002928 2013/002928 2013/002928 2013/002928 2013/002928 2013/0202273 2013/0202273 2013/0202273 2013/0286488 2013/02286488 2013/02286488 2014/0022436 2014/0022436 2014/0192238 2014/0192238 2014/0192238 2014/0293453 2014/023453	A1 * A1	3/2011 2/2012 3/2012 3/2012 3/2012 4/2012 5/2012 5/2012 6/2012 9/2012 10/2012 11/2012 12/2013 4/2013 5/2013 8/2013 8/2013 8/2013 8/2013 8/2013 8/2013 10/2013 12/2014 2/2014 5/2014 7/2014 7/2014 7/2014 7/2014 10/2014 12/2014	Goma et al. Golan

58

12

(56)**References** Cited

U.S. PATENT DOCUMENTS

2015/0042870	A1	2/2015	Chan et al.
2015/0092066	A1	4/2015	Geiss et al.
2015/0116569	A1	4/2015	Mercado
2015/0154776	A1	6/2015	Zhang et al.
2015/0162048	A1	6/2015	Hirata et al.
2015/0195458	A1	7/2015	Nakayama et al.
2015/0215516	A1	7/2015	Dolgin
2015/0237280	A1	8/2015	Choi et al.
2015/0242994	A1	8/2015	Shen
2015/0253647	A1	9/2015	Mercado
2015/0271471	A1	9/2015	Hsieh et al.
2015/0316744	A1	11/2015	Chen
2015/0334309	A1	11/2015	Peng et al.
2016/0044250	A1	2/2016	Shabtay et al.
2016/0070088	A1	3/2016	Koguchi
2016/0085089	A1	3/2016	Mercado
2016/0154202	A1	6/2016	Wippermann et al.
2016/0154204	A1	6/2016	Lim et al.
2016/0187631	A1	6/2016	Choi et al.
2016/0212358	A1	7/2016	Shikata
2016/0301840	A1	10/2016	Du et al.
2016/0313537	A1	10/2016	Mercado
2016/0353012	A1	12/2016	Kao et al.
2017/0019616	A1	1/2017	Zhu et al.
2017/0102522	A1	4/2017	Jo
2017/0115471	A1	4/2017	Shinohara
2017/0214846	A1	7/2017	Du et al.
2017/0214866	A1	7/2017	Zhu et al.
2017/0289458	A1	10/2017	Song et al.
2017/0289461	A1*	10/2017	Ono G03B 15/00
2018/0070010	A1*	3/2018	Wang G06T 3/4007
2018/0120674	A1	5/2018	Avivi et al.
2018/0150973	A1	5/2018	Tang et al.
2018/0184010	A1*	6/2018	Cohen H04N 5/2258
2018/0224630	A1	8/2018	Lee et al.
2018/0241922	A1	8/2018	Baldwin et al.
2018/0288310	A1 $*$	10/2018	Goldenberg H04N 5/23212
2018/0295292	A1	10/2018	Lee et al.

FOREIGN PATENT DOCUMENTS

CN	103024272	Α	4/2013
CN	104297906	Α	1/2015
EP	1536633	A1	6/2005
EP	2523450	A1	11/2012
JP	1979003617	Α	1/1979
JP	S54157620	Α	12/1979
JP	S59121015	Α	7/1984
JP	04211230	Α	8/1992
JP	H07318864	Α	12/1995
JP	08-114771	Α	5/1996
JP	08271976	Α	10/1996
JP	10-173966	Α	6/1998
JP	2003298920	Α	10/2003
JP	2004133054	Α	4/2004
JP	2005099265	Α	4/2005
JP	2006238325	Α	9/2006
JP	2007-034314	Α	2/2007
JP	2007228006	Α	9/2007
JP	2007306282	Α	11/2007
JP	2008076485	Α	4/2008
JP	2010-263619	Α	11/2010
JP	2012203234	Α	10/2012
JP	2013-050689	Α	3/2013

IP	2013106289 A	5/2013
ſΡ	5741395	7/2015
KR	20100008936 A	1/2010
KR	20140014787 A	2/2014
KR	20140023552 A	2/2014
KR	101477178 B1	12/2014
WO	2013058111 A1	4/2013
WO	2013063097 A1	5/2013

OTHER PUBLICATIONS

Office Action issued in related corresponding JP patent application 2015-563150 dated Sep. 6, 2016. 9 pages.

Statistical Modeling and Performance Characterization of a Real-Time Dual Camera Surveillance System, Greienhagen et al., Publisher: IEEE, 2000, 8 pages.

A 3MPixel Multi-Aperture Image Sensor with 0.7µm Pixels in 0.11um CMOS, Fife et al., Stanford University, 2008, 3 pages.

Dual camera intelligent sensor for high definition 360 degrees surveillance, Scotti et al., Publisher: IET, May 9, 2000, 8 pages.

Dual-sensor foveated imaging system, Hua et al., Publisher: Optical Society of America, Jan. 14, 2008, 11 pages.

Defocus Video Matting, McGuire et al., Publisher: ACM SIG-GRAPH, Jul. 31, 2005, 11 pages.

Compact multi-aperture imaging with high angular resolution, Santacana et al., Publisher: Optical Society of America, 2015, 10 pages.

Multi-Aperture Photography, Green et al., Publisher: Mitsubishi Electric Research Laboratories, Inc., Jul. 2007, 10 pages.

Multispectral Bilateral Video Fusion, Bennett et al., Publisher: IEEE, May 2007, 10 pages.

Super-resolution imaging using a camera array, Santacana et al., Publisher: Optical Society of America, 2014, 6 pages.

Optical Splitting Trees for High-Precision Monocular Imaging, McGuire et al., Publisher: IEEE, 2007, 11 pages.

High Performance Imaging Using Large Camera Arrays, Wilburn et al., Publisher: Association for Computing Machinery, Inc., 2005, 12 pages.

Real-time Edge-Aware Image Processing with the Bilateral Grid, Chen et al., Publisher: ACM SIGGRAPH, 9 pages.

Superimposed multi-resolution imaging, Carles et al., Publisher: Optical Society of America, 2017, 13 pages.

Viewfinder Alignment, Adams et al., Publisher: EUROGRAPHICS, 2008, 10 pages.

Dual-Camera System for Multi-Level Activity Recognition, Bodor et al., Publisher: IEEE, Oct. 2014, 6 pages.

Engineered to the task: Why camera-phone cameras are different, Giles Humpston, Publisher: Solid State Technology, Jun. 2009, 3 pages.

A compact and cost effective design for cell phone zoom lens, Chang et al., Sep. 2007, 8 pages.

Consumer Electronic Optics: How small a lens can be? The case of panomorph lenses, Thibault et al., Sep. 2014, 7 pages.

Optical design of camera optics for mobile phones, Steinich et al., 2012, pp. 51-58 (8 pages).

The Optics of Miniature Digital Camera Modules, Bareau et al., 2006, 11 pages.

Modeling and measuring liquid crystal tunable lenses, Peter P. Clark, 2014, 7 pages.

Mobile Platform Optical Design, Peter P. Clark, 2014, 7 pages.

* cited by examiner











FIG. 2





FIG. 4



FIG. 5





FIG. 7



FIG. 8





5

25

DUAL APERTURE ZOOM DIGITAL **CAMERA**

CROSS REFERENCE TO RELATED APPLICATIONS

This application is a Continuation application of U.S. patent application Ser. No. 15/424,853 filed Feb. 5, 2017, which was a Continuation application of U.S. patent application Ser. No. 14/880,251 filed Oct. 11, 2015 (issued as 10 U.S. Pat. No. 9,661,233), which was a Continuation application of U.S. patent application Ser. No. 14/365,711 filed Jun. 16, 2014 (issued as U.S. Pat. No. 9,185,291), which was a 371 application from international patent application PCT/ IB2014/062180 filed Jun. 12, 2014, and is related to and ¹⁵ claims priority from U.S. Provisional Patent Application No. 61/834,486 having the same title and filed Jun. 13, 2013, which is incorporated herein by reference in its entirety.

FIELD

Embodiments disclosed herein relate in general to digital cameras and in particular to thin zoom digital cameras with both still image and video capabilities

BACKGROUND

Digital camera modules are currently being incorporated into a variety of host devices. Such host devices include cellular telephones, personal data assistants (PDAs), com- 30 puters, and so forth. Consumer demand for digital camera modules in host devices continues to grow.

Host device manufacturers prefer digital camera modules to be small, so that they can be incorporated into the host device without increasing its overall size. Further, there is an 35 increasing demand for such cameras to have higher-performance characteristics. One such characteristic possessed by many higher-performance cameras (e.g., standalone digital still cameras) is the ability to vary the focal length of the camera to increase and decrease the magnification of the 40 image. This ability, typically accomplished with a zoom lens, is known as optical zooming. "Zoom" is commonly understood as a capability to provide different magnifications of the same scene and/or object by changing the focal length of an optical system, with a higher level of zoom 45 associated with greater magnification and a lower level of zoom associated with lower magnification. Optical zooming is typically accomplished by mechanically moving lens elements relative to each other. Such zoom lenses are typically more expensive, larger and less reliable than fixed 50 focal length lenses. An alternative approach for approximating the zoom effect is achieved with what is known as digital zooming. With digital zooming, instead of varying the focal length of the lens, a processor in the camera crops the image and interpolates between the pixels of the captured image to 55 ent focal length systems cause Tele and Wide matching create a magnified but lower-resolution image.

Attempts to use multi-aperture imaging systems to approximate the effect of a zoom lens are known. A multiaperture imaging system (implemented for example in a digital camera) includes a plurality of optical sub-systems 60 (also referred to as "sub-cameras"). Each sub-camera includes one or more lenses and/or other optical elements which define an aperture such that received electro-magnetic radiation is imaged by the optical sub-system and a resulting image is directed towards a two-dimensional (2D) pixelated 65 image sensor region. The image sensor (or simply "sensor") region is configured to receive the image and to generate a

set of image data based on the image. The digital camera may be aligned to receive electromagnetic radiation associated with scenery having a given set of one or more objects. The set of image data may be represented as digital image data, as well known in the art. Hereinafter in this description, "image" "image data" and "digital image data" may be used interchangeably. Also, "object" and "scene" may be used interchangeably.

Multi-aperture imaging systems and associated methods are described for example in US Patent Publications No. 2008/0030592, 2010/0277619 and 2011/0064327. In US 2008/0030592, two sensors are operated simultaneously to capture an image imaged through an associated lens. A sensor and its associated lens form a lens/sensor combination. The two lenses have different focal lengths. Thus, even though each lens/sensor combination is aligned to look in the same direction, each captures an image of the same subject but with two different fields of view (FOVs). One sensor is commonly called "Wide" and the other "Tele". 20 Each sensor provides a separate image, referred to respectively as "Wide" (or "W") and "Tele" (or "T") images. A W-image reflects a wider FOV and has lower resolution than the T-image. The images are then stitched (fused) together to form a composite ("fused") image. In the composite image, the central portion is formed by the relatively higherresolution image taken by the lens/sensor combination with the longer focal length, and the peripheral portion is formed by a peripheral portion of the relatively lower-resolution image taken by the lens/sensor combination with the shorter focal length. The user selects a desired amount of zoom and the composite image is used to interpolate values from the chosen amount of zoom to provide a respective zoom image. The solution offered by US 2008/0030592 requires, in video mode, very large processing resources in addition to high frame rate requirements and high power consumption (since both cameras are fully operational).

US 2010/0277619 teaches a camera with two lens/sensor combinations, the two lenses having different focal lengths, so that the image from one of the combinations has a FOV approximately 2-3 times greater than the image from the other combination. As a user of the camera requests a given amount of zoom, the zoomed image is provided from the lens/sensor combination having a FOV that is next larger than the requested FOV. Thus, if the requested FOV is less than the smaller FOV combination, the zoomed image is created from the image captured by that combination, using cropping and interpolation if necessary. Similarly, if the requested FOV is greater than the smaller FOV combination, the zoomed image is created from the image captured by the other combination, using cropping and interpolation if necessary. The solution offered by US 2010/0277619 leads to parallax artifacts when moving to the Tele camera in video mode.

In both US 2008/0030592 and US 2010/0277619, differ-FOVs to be exposed at different times using CMOS sensors. This degrades the overall image quality. Different optical F numbers ("F#") cause image intensity differences. Working with such a dual sensor system requires double bandwidth support, i.e. additional wires from the sensors to the following HW component. Neither US 2008/0030592 nor US 2010/0277619 deal with registration errors. Neither US2008/000592 nor US 2010/0277619 refer to partial fusion, i.e. fusion of less than all the pixels of both Wide and Tele images in still mode.

US 2011/0064327 discloses multi-aperture imaging systems and methods for image data fusion that include providing first and second sets of image data corresponding to an imaged first and second scene respectively. The scenes overlap at least partially in an overlap region, defining a first collection of overlap image data as part of the first set of image data, and a second collection of overlap image data as ⁵ part of the second set of image data. The second collection of overlap image data is represented as a plurality of image data sub-cameras such that each of the sub-cameras is based on at least one characteristic of the second collection, and each sub-camera spans the overlap region. A fused set of ¹⁰ image data is produced by an image processor, by modifying the first collection of overlap image data based on at least a selected one of, but less than all of, the image data subcameras. The systems and methods disclosed in this application deal solely with fused still images. ¹⁵

None of the known art references provide a thin (e.g. fitting in a cell-phone) dual-aperture zoom digital camera with fixed focal length lenses, the camera configured to operate in both still mode and video mode to provide still and video images, wherein the camera configuration uses ²⁰ partial or full fusion to provide a fused image in still mode and does not use any fusion to provide a continuous, smooth zoom in video mode.

Therefore there is a need for, and it would be advantageous to have thin digital cameras with optical zoom oper-²⁵ ating in both video and still mode that do not suffer from commonly encountered problems and disadvantages, some of which are listed above.

SUMMARY

Embodiments disclosed herein teach the use of dualaperture (also referred to as dual-lens or two-sensor) optical zoom digital cameras. The cameras include two sub-cameras, a Wide sub-camera and a Tele sub-camera, each 35 sub-camera including a fixed focal length lens, an image sensor and an image signal processor (ISP). The Tele subcamera is the higher zoom sub-camera and the Wide subcamera is the lower zoom sub-camera. In some embodiments, the lenses are thin lenses with short optical paths of 40 less than about 9 mm. In some embodiments, the thickness/ effective focal length (EFL) ratio of the Tele lens is smaller than about 1. The image sensor may include two separate 2D pixelated sensors or a single pixelated sensor divided into at least two areas. The digital camera can be operated in both 45 still and video modes. In still mode, zoom is achieved "with fusion" (full or partial), by fusing W and T images, with the resulting fused image including always information from both W and T images. Partial fusion may be achieved by not using fusion in image areas where the Tele image is not 50 focused. This advantageously reduces computational requirements (e.g. time)

In video mode, optical zoom is achieved "without fusion", by switching between the W and T images to shorten computational time requirements, thus enabling high video 55 rate. To avoid discontinuities in video mode, the switching includes applying additional processing blocks, which include image scaling and shifting.

In order to reach optical zoom capabilities, a different magnification image of the same scene is captured (grabbed) ⁶⁰ by each camera sub-camera, resulting in FOV overlap between the two sub-cameras. Processing is applied on the two images to fuse and output one fused image in still mode. The fused image is processed according to a user zoom factor request. As part of the fusion procedure, up-sampling ⁶⁵ may be applied on one or both of the grabbed images to scale it to the image grabbed by the Tele sub-camera or to a scale 4

defined by the user. The fusion or up-sampling may be applied to only some of the pixels of a sensor. Downsampling can be performed as well if the output resolution is smaller than the sensor resolution.

The cameras and associated methods disclosed herein address and correct many of the problems and disadvantages of known dual-aperture optical zoom digital cameras. They provide an overall zoom solution that refers to all aspects: optics, algorithmic processing and system hardware (HW). The proposed solution distinguishes between video and still mode in the processing flow and specifies the optical requirements and HW requirements. In addition, it provides an innovative optical design that enables a low TTL/EFL ratio using a specific lens curvature order.

Due to the large focal length, objects that are in front or behind the plane of focus appear very blurry, and a nice foreground-to-background contrast is achieved. However, it is difficult to create such a blur using a compact camera with a relatively short focal length and small aperture size, such as a cell-phone camera. In some embodiments, a dualaperture zoom system disclosed herein can be used to capture a shallow DOF photo (shallow compared with a DOF of a Wide camera alone), by taking advantage of the longer focal length of the Tele lens. The reduced DOF effect provided by the longer Tele focal length can be further enhanced in the final image by fusing data from an image captured simultaneously with the Wide lens. Depending on the distance to the object, with the Tele lens focused on a subject of the photo, the Wide lens can be focused to a closer 30 distance than the subject so that objects behind the subject appear very blurry. Once the two images are captured, information from the out-of-focus blurred background in the Wide image is fused with the original Tele image background information, providing a blurrier background and even shallower DOF.

In an embodiment there is provided a zoom digital camera comprising a Wide imaging section that includes a fixed focal length Wide lens with a Wide FOV, a Wide sensor and a Wide image signal processor (ISP), the Wide imaging section operative to provide Wide image data of an object or scene; a Tele imaging section that includes a fixed focal length Tele lens with a Tele FOV that is narrower than the Wide FOV, a Tele sensor and a Tele ISP, the Tele imaging section operative to provide Tele image data of the object or scene; and a camera controller operatively coupled to the Wide and Tele imaging sections, the camera controller configured to combine in still mode at least some of the Wide and Tele image data to provide a fused output image of the object or scene from a particular point of view (POV), and to provide without fusion continuous zoom video mode output images of the object or scene, a camera controller operatively coupled to the Wide and Tele imaging sections, the camera controller configured to combine in still mode at least some of the Wide and Tele image data to provide a fused output image of the object or scene from a particular point of view and to provide without fusion continuous zoom video mode output images of the object or scene, each output image having a respective output resolution, wherein the video output images are provided with a smooth transition when switching between a lower zoom factor (ZF) value and a higher ZF value or vice versa, wherein at the lower ZF value the output resolution is determined by the Wide sensor, and wherein at the higher ZF value the output resolution is determined by the Tele sensor.

In an embodiment, the camera controller configuration to provide video output images with a smooth transition when switching between a lower ZF value and a higher ZF value or vice versa includes a configuration that uses at high ZF secondary information from the Wide camera and uses at low ZF secondary information from the Tele camera. As used herein, "secondary information" refers to white balance gain, exposure time, analog gain and color correction ⁵ matrix.

In a dual-aperture camera image plane, as seen by each sub-camera (and respective image sensor), a given object will be shifted and have different perspective (shape). This is referred to as point-of-view (POV). The system output 10 image can have the shape and position of either sub-camera image or the shape or position of a combination thereof. If the output image retains the Wide image shape then it has the Wide perspective POV. If it retains the Wide camera position then it has the Wide position POV. The same applies for Tele 15 images position and perspective. As used in this description, the perspective POV may be of the Wide or Tele subcameras, while the position POV may shift continuously between the Wide and Tele sub-cameras. In fused images, it is possible to register Tele image pixels to a matching pixel 20 set within the Wide image pixels, in which case the output image will retain the Wide POV ("Wide fusion"). Alternatively, it is possible to register Wide image pixels to a matching pixel set within the Tele image pixels, in which case the output image will retain the Tele POV ("Tele 25 fusion"). It is also possible to perform the registration after either sub-camera image is shifted, in which case the output image will retain the respective Wide or Tele perspective POV.

In an embodiment there is provided a method for obtain- 30 ing zoom images of an object or scene in both still and video modes using a digital camera, the method comprising the steps of providing in the digital camera a Wide imaging section having a Wide lens with a Wide FOV, a Wide sensor and a Wide image signal processor (ISP), a Tele imaging 35 section having a Tele lens with a Tele FOV that is narrower than the Wide FOV, a Tele sensor and a Tele ISP, and a camera controller operatively coupled to the Wide and Tele imaging sections; and configuring the camera controller to combine in still mode at least some of the Wide and Tele 40 image data to provide a fused output image of the object or scene from a particular point of view, and to provide without fusion continuous zoom video mode output images of the object or scene, each output image having a respective output resolution, wherein the video mode output images are 45 provided with a smooth transition when switching between a lower ZF value and a higher ZF value or vice versa, and wherein at the lower ZF value the output resolution is determined by the Wide sensor while at the higher ZF value 50 the output resolution is determined by the Tele sensor.

BRIEF DESCRIPTION OF THE DRAWINGS

Non-limiting examples of embodiments disclosed herein are described below with reference to figures attached hereto 55 that are listed following this paragraph. The drawings and descriptions are meant to illuminate and clarify embodiments disclosed herein, and should not be considered limiting in any way.

FIG. **1**A shows schematically a block diagram illustrating 60 a dual-aperture zoom imaging system disclosed herein;

FIG. 1B is a schematic mechanical diagram of the dualaperture zoom imaging system of FIG. 1A:

FIG. **2** shows an example of Wide sensor, Tele sensor and their respective FOVs;

65

FIG. **3** shows a schematically embodiment of CMOS sensor image grabbing vs. time;

FIG. **4** shows schematically a sensor time configuration which enables sharing one sensor interface using dual sensor zoom system;

FIG. **5** shows an embodiment of a method disclosed herein for acquiring a zoom image in capture mode;

FIG. **6** shows an embodiment of a method disclosed herein for acquiring a zoom image in video/preview mode;

FIG. **7** shows a graph illustrating an effective resolution zoom factor;

FIG. **8** shows one embodiment of a lens block in a thin camera disclosed herein;

FIG. **9** shows another embodiment of a lens block in a thin camera disclosed herein.

DETAILED DESCRIPTION

FIG. 1A shows schematically a block diagram illustrating an embodiment of a dual-aperture zoom imaging system (also referred to simply as "digital camera" or "camera") disclosed herein and numbered 100. Camera 100 comprises a Wide imaging section ("sub-camera") that includes a Wide lens block 102, a Wide image sensor 104 and a Wide image processor 106. Camera 100 further comprises a Tele imaging section ("sub-camera") that includes a Tele lens block 108, a Tele image sensor 110 and a Tele image processor 112. The image sensors may be physically separate or may be part of a single larger image sensor. The Wide sensor pixel size can be equal to or different from the Tele sensor pixel size. Camera 100 further comprises a camera fusion processing core (also referred to as "controller") 114 that includes a sensor control module 116, a user control module 118, a video processing module 126 and a capture processing module 128, all operationally coupled to sensor control block 110. User control module 118 comprises an operational mode function 120, a region of interest (ROI) function 122 and a zoom factor (ZF) function 124.

Sensor control module 116 is connected to the two sub-cameras and to the user control module 118 and used to choose, according to the zoom factor, which of the sensors is operational and to control the exposure mechanism and the sensor readout. Mode choice function 120 is used for choosing capture/video modes. ROI function 122 is used to choose a region of interest. As used herein, "ROI" is a user defined as a sub-region of the image that may be exemplarily 4% or less of the image area. The ROI is the region on which both sub-cameras are focused on. Zoom factor function 124 is used to choose a zoom factor. Video processing module 126 is connected to mode choice function 120 and used for video processing. Still processing module 128 is connected to the mode choice function 120 and used for high image quality still mode images. The video processing module is applied when the user desires to shoot in video mode. The capture processing module is applied when the user wishes to shoot still pictures.

FIG. 1B is a schematic mechanical diagram of the dualaperture zoom imaging system of FIG. 1A. Exemplary dimensions: Wide lens TTL=4.2 mm and EFL=3.5 mm; Tele lens TTL=6 mm and EFL=7 mm; both Wide and Tele sensors $\frac{1}{3}$ inch. External dimensions of Wide and Tele cameras: width (w) and length (1)=8.5 mm and height (h)=6.8 mm. Distance "d" between camera centers=10 mm.

Following is a detailed description and examples of different methods of use of camera **100**.

Design for Continuous and Smooth Zoom in Video Mode In an embodiment, in order to reach high quality continuous and smooth optical zooming in video camera mode while reaching real optical zoom using fixed focal length sub-cameras, the system is designed according to the following rules (Equations 1-3):

$$Tan(FOV_{Wide})/Tan(FOV_{Tele}) = PL_{Wide}/PL_{video}$$
(1)

where Tan refers to "tangent", while FOV_{Wide} and FOV_{Tele} refer respectively to the Wide and Tele lens fields of view (in degrees). As used herein, the FOV is measured from the center axis to the corner of the sensor (i.e. half the angle of the normal definition). PL_{Wide} and PL_{video} refer respectively to the "in-line" (i.e. in a line) number of Wide sensor pixels and in-line number of output video format pixels. The ratio PL_{Wide}/PL_{video} is called an "oversampling ratio". For example, in order to get full and continuous optical zoom experience with a 12 Mp sensor (sensor dimensions 4000× 3000) and a required 1080p (dimension 1920×1080) video format, the FOV ratio should be 4000/1920=2.083. Moreover, if the Wide lens FOV is given as FOV $_{Wide}$ =37.5°, the required Tele lens FOV is 20.2° The zoom switching point is set according to the ratio between sensor pixels in-line and ²⁰ different, for example in order to reach same image intensity the number of pixels in-line in the video format and defined as:

$$Z_{switch} = PL_{Wide}/PL_{video}$$
(2)

Maximum optical zoom is reached according to the ²⁵ following formula:

$$Z_{max} = Tan(FOV_{Wide})/Tan(FOV_{Tele})*PL_{Tele}/PL_{video}$$
 (3)

For example: for the configuration defined above and assum- 30 ing PL_{tele}=4000 and PL_{video}=1920, Z_{max}=4.35.

In an embodiment, the sensor control module has a setting that depends on the Wide and Tele FOVs and on a sensor oversampling ratio, the setting used in the configuration of each sensor. For example, when using a 4000×3000 sensor 35 and when outputting a 1920×1080 image, the oversampling ratio is 4000/1920=2.0833.

In an embodiment, the Wide and Tele FOVs and the oversampling ratio satisfy the condition

$$0.8*PL_{wide}/PL_{video} < Tan(FOV_{wide})/Tan(FOV_{Tele}) < 1.2*PL_{wide}/PL_{video}.$$
(4)

Still Mode Operation/Function

In still camera mode, the obtained image is fused from information obtained by both sub-cameras at all zoom 45 levels, see FIG. 2, which shows a Wide sensor 202 and a Tele sensor 204 and their respective FOVs. Exemplarily, as shown, the Tele sensor FOV is half the Wide sensor FOV. The still camera mode processing includes two stages: (1) setting HW settings and configuration, where a first objec- 50 tive is to control the sensors in such a way that matching FOVs in both images (Tele and Wide) are scanned at the same time. A second objective is to control the relative exposures according to the lens properties. A third objective is to minimize the required bandwidth from both sensors for 55 the ISPs; and (2) image processing that fuses the Wide and the Tele images to achieve optical zoom, improves SNR and provides wide dynamic range.

FIG. 3 shows image line numbers vs. time for an image section captured by CMOS sensors. A fused image is 60 obtained by line (row) scans of each image. To prevent matching FOVs in both sensors to be scanned at different times, a particular configuration is applied by the camera controller on both image sensors while keeping the same frame rate. The difference in FOV between the sensors 65 determines the relationship between the rolling shutter time and the vertical blanking time for each sensor. In the

particular configuration, the scanning is synchronized such that the same points of the object in each view are obtained simultaneously.

Specifically with reference to FIG. 3 and according to an embodiment of a method disclosed herein, the configuration to synchronize the scanning includes: setting the Tele sensor vertical blanking time VB_{Tele} to equal the Wide sensor vertical blanking time VB_{Wide} plus half the Wide sensor rolling shutter time RST_{Wide} ; setting the Tele and Wide sensor exposure times ET_{Tele} and ET_{Wide} to be equal or different; setting the Tele sensor rolling shutter time RST_{Tele} to be 0.5*RST_{Wide}; and setting the frame rates of the two sensors to be equal. This procedure results in identical image pixels in the Tele and Wide sensor images being exposed at the same time

In another embodiment, the camera controller synchronizes the Wide and Tele sensors so that for both sensors the rolling shutter starts at the same time.

The exposure times applied to the two sensors could be using different F# and different pixel size for the Tele and Wide systems. In this case, the relative exposure time may be configured according to the formula below:

$$ET_{Tele} = ET_{Wide} \cdot (F\#_{Tele}/F\#_{Wide})^2 \cdot (Pixel \ size_{Wide}/Pixel \ size_{Tele})^2$$
(5)

Other exposure time ratios may be applied to achieve wide dynamic range and improved SNR. Fusing two images with different intensities will result in wide dynamic range image.

In more detail with reference to FIG. 3, in the first stage, after the user chooses a required zoom factor ZF, the sensor control module configures each sensor as follows:

1) Cropping index Wide sensor:

$$Y_{Wide end} = 1/2 \cdot \text{PC}_{Wide}(1+1/\text{ZF})$$

where PC is the number of pixels in a column, and Y is the row number

2) Cropping index Tele sensor:

$$\begin{array}{c} Y_{\textit{Tele start}} = 1/2 \cdot \text{PC}_{\textit{Tele}}(1 - (1/ZF) \cdot \text{Tan}(\text{FOV}_{\textit{Tele}})/\text{Tan}(\text{FOV}_{\text{Tele}})/\text{Tan}(\text{FOV}_{\text{Tele}})/\text{Tan}(\text{Tele})/\text{Tan}(\text{Tele})/\text{Tan}(\text{Tele}})/\text{Tan}(\text{Tele})/\text{Tan}(\text{Tele})/\text{Tan}(\text{Tele}})/\text{Tan}(\text{Tele})/\text{Tan}(\text{Tele})/\text{Tan}(\text{Tele})/\text{Tan}(\text{Tele})/\text{Tan}(\text{Tele})/\text{Tan}(\text{Tele})/\text{Tan}(\text{Tele})/\text{Tan}(\text{Tele})/\text{Tan}(\text{Tele})/\text{Tan}(\text{Tele})/\text{Tan}(\text{Tele})/\text{Tan}(\text{Tele})/\text{Tan}(\text{Tele})/\text{T$$

 $\begin{array}{l} Y_{\textit{Tele end}} {=} 1/2 \cdot \text{PC}_{\textit{Tele}}(1{+}(1/\text{ZF}){\cdot}\text{Tan}(\text{FOV}_{\textit{Tele}})/\text{Tan}(\text{FOV}_{\textit{Wide}})) \end{array}$

If ZF<Tan (FOV_{Wide})/Tan (FOV_{Tele}), then

 $Y_{Tele \ start} = 0$

40

This will result in an exposure start time of the Tele sensor with a delay of (in numbers of lines, relative to the Wide sensor start time):

$$(1-ZF/((Tan(FOV_{Wide})/Tan(FOV_{Tele})))\cdot 1/(2\cdot FPS)$$
 (6)

where FPS is the sensor's frame per second configuration. In cases where ZF>Tan (FOV_{Wide})/Tan (FOV_{Tele}), no delay will be introduced between Tele and Wide exposure starting point. For example, for a case where Tan (FOV_{mide})/Tan (FOV_{Tele})=2 and ZF=1, the Tele image first pixel is exposed 1/4·(1/FPS) second after the Wide image first pixel was exposed.

After applying the cropping according to the required zoom factor, the sensor rolling shutter time and the vertical blank should be configured in order to satisfy the equation to keep the same frame rate:

(7)

VB_{Wide}+RST_{Wide}=VB_{Tele}+RST_{Tele}

FIG. **3** exemplifies Eq. (7), One way to satisfy Eq. (7) is to increase the RST_{*Wide*}. Controlling the RST_{*Wide*} may be done by changing the horizontal blanking (HB) of the Wide sensor. This will cause a delay between the data coming out from each row of the Wide sensor.

Generally, working with a dual-sensor system requires multiplying the bandwidth to the following block, for example the ISP. For example, using 12 Mp working at 30 ¹⁰ fps, 10 bit per pixel requires working at 3.6 Gbit/sec. In this example, supporting this bandwidth requires 4 lanes from each sensor to the respective following ISP in the processing chain. Therefore, working with two sensors requires double bandwidth (7.2 Gbit/sec) and 8 lanes connected to the 15 respective following blocks. The bandwidth can be reduced by configuring and synchronizing the two sensors. Consequently, the number of lanes can be half that of a conventional configuration (3.6 Gbit/sec).

FIG. 4 shows schematically a sensor time configuration 20 that enables sharing one sensor interface using a dual-sensor zoom system, while fulfilling the conditions in the description of FIG. 3 above. For simplicity, assuming the Tele sensor image is magnified by a factor of 2 compared with the Wide sensor image, the Wide sensor horizontal blanking 25 time HB_{Wide} is set to twice the Wide sensor line readout time. This causes a delay between output Wide lines. This delay time matches exactly the time needed to output two lines from the Tele sensor. After outputting two lines from the Tele sensor, the Tele sensor horizontal blanking time HB_{Tele} 30 is set to be one Wide line readout time, so, while the Wide sensor outputs a row from the sensor, no data is being output from the Tele sensor. For this example, every 3rd line in the Tele sensor is delayed by an additional HB_{Tele} . In this delay time, one line from the Wide sensor is output from the 35 dual-sensor system. After the sensor configuration stage, the data is sent in parallel or by using multiplexing into the processing section.

FIG. 5 shows an embodiment of a method disclosed herein for acquiring a zoom image in still mode. In ISP step 40 502, the data of each sensor is transferred to the respective ISP component, which performs on the data various processes such as denoising, demosaicing, sharpening, scaling, etc, as known in the art. After the processing in step 502, all following actions are performed in capture processing core 45 128: in rectification step 504, both Wide and Tele images are aligned to be on the epipolar line; in registration step 506. mapping between the Wide and the Tele aligned images is performed to produce a registration map; in resampling step 508, the Tele image is resampled according to the registra- 50 tion map, resulting in a re-sampled Tele image; in decision step 510, the re-sampled Tele image and the Wide image are processed to detect errors in the registration and to provide a decision output. In more detail, in step 510, the re-sampled Tele image data is compared with the Wide image data and 55 if the comparison detects significant dissimilarities, an error is indicated. In this case, the Wide pixel values are chosen to be used in the output image. Then, in fusion step 512, the decision output, re-sampled Tele image and the Wide image are fused into a single zoom image.

To reduce processing time and power, steps **506**, **508**, **510**, **512** could be bypassed by not fusing the images in nonfocused areas. In this case, all steps specified above should be applied on focused areas only. Since the Tele optical system will introduce shallower depth of field than the Wide 65 optical system, defocused areas will suffer from lower contrast in the Tele system.

Zoom-in and Zoom-Out in Still Camera Mode

We define the following: TFOV=tan (camera FOV/2). "Low ZF" refers to all ZF that comply with ZF<Wide TFOV/Tele TFOV. "High ZF" refers to all ZF that comply with ZF>Wide TFOV/Tele TFOV. "ZFT" refers to a ZF that complies with ZF=Wide TFOV/Tele TFOV. In one embodiment, zoom-in and zoom-out in still mode is performed as follows:

Zoom-in: at low ZF up to slightly above ZFT, the output image is a digitally zoomed, Wide fusion output. For the up-transfer ZF, the Tele image is shifted and corrected by global registration (GR) to achieve smooth transition. Then, the output is transformed to a Tele fusion output. For higher (than the up-transfer) ZF, the output is the Tele fusion output digitally zoomed.

Zoom-out: at high ZF down to slightly below ZFT, the output image is a digitally zoomed, Tele fusion output. For the down-transfer ZF, the Wide image is shifted and corrected by GR to achieve smooth transition. Then, the output is transformed to a Wide fusion output. For lower (than the down-transfer) ZF, the output is basically the down-transfer ZF output digitally zoomed but with gradually smaller Wide shift correction, until for ZF=1 the output is the unchanged Wide camera output.

In another embodiment, zoom-in and zoom-out in still mode is performed as follows:

Zoom-in: at low ZF up to slightly above ZFT, the output image is a digitally zoomed, Wide fusion output. For the up-transfer ZF and above, the output image is the Tele fusion output.

Zoom-out: at high ZF down to slightly below ZFT, the output image is a digitally zoomed, Tele fusion output. For the down-transfer ZF and below, the output image is the Wide fusion output.

Video Mode Operation/Function

Smooth Transition

When a dual-aperture camera switches the camera output between sub-cameras or points of view, a user will normally see a "jump" (discontinuous) image change. However, a change in the zoom factor for the same camera and POV is viewed as a continuous change. A "smooth transition" is a transition between cameras or POVs that minimizes the jump effect. This may include matching the position, scale, brightness and color of the output image before and after the transition. However, an entire image position matching between the sub-camera outputs is in many cases impossible, because parallax causes the position shift to be dependent on the object distance. Therefore, in a smooth transition as disclosed herein, the position matching is achieved only in the ROI region while scale brightness and color are matched for the entire output image area.

Zoom-in and Zoom-Out in Video Mode

In video mode, sensor oversampling is used to enable continuous and smooth zoom experience. Processing is 35 applied to eliminate the changes in the image during crossover from one sub-camera to the other. Zoom from 1 to Z_{switch} is performed using the Wide sensor only. From Z_{switch} and on, it is performed mainly by the Tele sensor. To prevent "jumps" (roughness in the image), switching to the Tele 60 image is done using a zoom factor which is a bit higher $(Z_{switch}+\Delta Zoom)$ than Z_{switch} . $\Delta Zoom$ is determined according to the system's properties and is different for cases where zoom-in is applied and cases where zoom-out is applied $(\Delta Zoom_{in} \neq \Delta Zoom_{out})$. This is done to prevent residual 65 jumps artifacts to be visible at a certain zoom factor. The switching between sensors, for an increasing zoom and for decreasing zoom, is done on a different zoom factor.

The zoom video mode operation includes two stages: (1) sensor control and configuration, and (2) image processing. In the range from 1 to Z_{switch} , only the Wide sensor is operational, hence, power can be supplied only to this sensor. Similar conditions hold for a Wide AF mechanism. 5 From $Z_{switch}+\Delta Zoom$ to Z_{max} only the Tele sensor is operational, hence, power is supplied only to this sensor. Similarly, only the Tele sensor is operational and power is supplied only to it for a Tele AF mechanism. Another option is that the Tele sensor is operational and the Wide sensor is 10 working in low frame rate. From Z_{switch} to $Z_{switch}+\Delta Zoom$, both sensors are operational.

Zoom-in: at low ZF up to slightly above ZFT, the output image is the digitally zoomed, unchanged Wide camera output. For the up-transfer ZF, the output is a transformed Tele sub-camera output, where the transformation is performed by a global registration (GR) algorithm to achieve smooth transition. For higher (than the up-transfer), the output is the transfer ZF output digitally zoomed.

Zoom-out: at high ZF down to slightly below ZFT, the 20 output image is the digitally zoomed transformed Tele camera output. For the down-transfer ZF, the output is a shifted Wide camera output, where the Wide shift correction is performed by the GR algorithm to achieve smooth transition, i.e. with no jump in the ROI region. For lower (than 25 the down-transfer) ZF, the output is basically the down-transfer ZF output digitally zoomed but with gradually smaller Wide shift correction, until for ZF=1 the output is the unchanged Wide camera output.

FIG. 6 shows an embodiment of a method disclosed 30 herein for acquiring a zoom image in video/preview mode for 3 different zoom factor (ZF) ranges: (a) ZF range=1: Z_{switch} ; (b) ZF range= Z_{switch} : Z_{switch} + $\Delta Zoom_{in}$: and (c) Zoom factor range= Z_{switch} + $\Delta Zoom_{in}$: Z_{max} . The description is with reference to a graph of effective resolution vs. zoom 35 value (FIG. 7). In step 602, sensor control module 116 chooses (directs) the sensor (Wide, Tele or both) to be operational. Specifically, if the ZF range=1:Z_{switch}, module 116 directs the Wide sensor to be operational and the Tele sensor to be non-operational. If the ZF range is Z_{switch} : 40 $Z_{switch}+\Delta Zoom_{in}$, module **116** directs both sensors to be operational and the zoom image is generated from the Wide sensor. If the ZF range is Z_{switch} + $\Delta Zoom_{in}$: Z_{max} , module 116 directs the Wide sensor to be non-operational and the Tele sensor to be operational. After the sensor choice in step 602, 45 all following actions are performed in video processing core 126. Optionally, in step 604, color balance is calculated if two images are provided by the two sensors. Optionally yet, in step 606, the calculated color balance is applied in one of the images (depending on the zoom factor). Further option- 50 ally, in step 608, registration is performed between the Wide and Tele images to output a transformation coefficient. The transformation coefficient can be used to set an AF position in step 610. In step 612, an output of any of steps 602-608 is applied on one of the images (depending on the zoom 55 factor) for image signal processing that may include denoising, demosaicing, sharpening, scaling, etc. In step 614, the processed image is resampled according to the transformation coefficient, the requested ZF (obtained from zoom function 124) and the output video resolution (for example 60 1080p). To avoid a transition point to be executed at the same ZF, Δ Zoom can change while zooming in and while zooming out. This will result in hysteresis in the sensor switching point.

In more detail, for ZF range 1: Z_{switch} , for ZF $< Z_{switch}$, the 65 Wide image data is transferred to the ISP in step **612** and resampled in step **614**. For ZF range= Z_{switch} , Z_{switch} +

 $\Delta Zoom_{in}$, both sensors are operational and the zoom image is generated from the Wide sensor. The color balance is calculated for both images according to a given ROI. In addition, for a given ROI, registration is performed between the Wide and Tele images to output a transformation coefficient. The transformation coefficient is used to set an AF position. The transformation coefficient includes the translation between matching points in the two images. This translation can be measured in a number of pixels. Different translations will result in a different number of pixel movements between matching points in the images. This movement can be translated into depth and the depth can be translated into an AF position. This enables to set the AF position by only analyzing two images (Wide & Tele). The result is fast focusing.

Both color balance ratios and transformation coefficient are used in the ISP step. In parallel, the Wide image is processed to provide a processed image, followed by resampling. For ZF range= $Z_{switch}+\Delta Zoom_{in}$: Z_{max} and for Zoom factor>the color $Z_{switch}+\Delta Zoom_{in}$, balance calculated previously is now applied on the Tele image. The Tele image data is transferred to the ISP in step **612** and resampled in step **614**. To eliminate crossover artifacts and to enable smooth transition to the Tele image, the processed Tele image is resampled according to the transformation coefficient, the requested ZF (obtained from zoom function **124**) and the output video resolution (for example 1080p).

FIG. 7 shows the effective resolution as a function of the zoom factor for a zoom-in case and for a zoom-out case $\Delta Zoom_{up}$ is set when we zoom in, and $\Delta Zoom_{down}$ is set when we zoom out. Setting $\Delta Zoom_{up}$ to be different from $\Delta Zoom_{down}$ will result in transition between the sensors to be performed at different zoom factor ("hysteresis") when zoom-in is used and when zoom-out is used. This hysteresis phenomenon in the video mode results in smooth continuous zoom experience.

Optical Design

Additional optical design considerations were taken into account to enable reaching optical zoom resolution using small total track length (TTL). These considerations refer to the Tele lens. In an embodiment, the camera is "thin" (see also FIG. 1B) in the sense that is has an optical path of less than 9 mm and a thickness/focal length (FP) ratio smaller than about 0.85. Exemplarily, as shown in FIG. 8, such a thin camera has a lens block that includes (along an optical axis starting from an object) five lenses: a first lens element 802 with positive power and two lenses 804 and 806 and with negative power, a fourth lens 808 with positive power and a fifth lens 810 with negative power. In the embodiment of FIG. 8, the EFL is 7 mm, the TTL is 4.7 mm, f=6.12 and $FOV=20^{\circ}$. Thus the Tele lens TTL/EFL ratio is smaller than 0.9. In other embodiments, the Tele lens TTL/EFL ratio may be smaller than 1.

In another embodiment of a lens block in a thin camera, shown in FIG. 9, the camera has a lens block that includes (along an optical axis starting from an object) a first lens element 902 with positive power a second lens element 904 with negative power, a third lens element with positive power 906 and a fourth lens element with negative power 908, and a fifth lens element 910 with positive or negative power In this embodiment, f=7.14, F#=3.5, TTL=5.8 mm and FOV= 22.7° .

In conclusion, dual aperture optical zoom digital cameras and associate methods disclosed herein reduce the amount of processing resources, lower frame rate requirements, reduce power consumption, remove parallax artifacts and provide continuous focus (or provide loss of focus) when changing

from Wide to Tele in video mode. They provide a dramatic reduction of the disparity range and avoid false registration in capture mode. They reduce image intensity differences and enable work with a single sensor bandwidth instead of two, as in known cameras.

All patent applications mentioned in this specification are herein incorporated in their entirety by reference into the specification, to the same extent as if each individual patent application was specifically and individually indicated to be incorporated herein by reference. In addition, citation or 10 identification of any reference in this application shall not be construed as an admission that such reference is available as prior art to the present disclosure.

While this disclosure has been described in terms of certain embodiments and generally associated methods, 15 alterations and permutations of the embodiments and methods will be apparent to those skilled in the art. The disclosure is to be understood as not limited by the specific embodiments described herein, but only by the scope of the appended claims. 20

What is claimed is:

- 1. A multiple aperture zoom digital camera, comprising:
- a) a Wide imaging section that includes a Wide sensor and (FOV), the Wide imaging section operative to output a Wide image;
- b) a Tele imaging section that includes a Tele sensor and a fixed focal length Tele lens with a Tele FOV that is narrower than the Wide FOV, the Tele imaging section 30 operative to output a Tele image; and
- c) a camera controller operatively coupled to the Wide and Tele imaging sections and configured, when providing video output images, to:
 - reduce an image jump effect seen in the video output 35 images when switching from a Wide image to a Tele image by shifting the Tele image relative to the Wide image according to a distance of an object in a Tele image region of interest (ROI), and/or
 - images when switching from a Tele image to a Wide image by shifting the Wide image relative to the Tele image according to a distance of an object in a Wide image ROI.

2. The camera of claim 1, wherein the camera controller 45 is further configured, when providing the video output images, to reduce the image jump effect seen in the video output images by matching scale between the Wide and Tele images when switching from the Wide image to the Tele image or vice versa.

3. The camera of claim 1, wherein the camera controller is further configured, when providing video output images, to match brightness and color between the Wide image and the Tele images when switching from a Wide image to a Tele image or vice versa.

4. The camera of claim 1, wherein the switching is between a lower zoom factor (ZF) value and a higher ZF value or vice versa, wherein each Wide image and Tele image has a respective output resolution, wherein at the lower ZF value the output resolution is determined by the 60 Wide sensor and wherein at the higher ZF value the output resolution is determined by the Tele sensor.

5. The camera of claim 4, wherein the camera controller includes a user control module for receiving user inputs and a sensor control module for configuring each sensor to 65 acquire the Wide and Tele images based on a user input that includes a camera mode and the zoom factor.

6. The camera of claim 4, wherein the camera controller is further configured to use, at the higher ZF, secondary information from the Wide imaging section, for providing video output images during switching between a lower ZF value and a higher ZF value to reduce discontinuities in the video output images.

7. The camera of claim 4, wherein the camera controller is further configured to use at the lower ZF, secondary information from the Tele imaging section, for providing video output images during switching between a higher ZF value and a lower ZF value to reduce discontinuities in the video output images.

8. The camera of claim 1, wherein the Tele lens includes a ratio of total track length (TTL)/effective focal length (EFL) smaller than 1.

9. The camera of claim 8, wherein the camera controller is further configured to combine, when in still mode, at least some of the Wide and Tele image data to provide a fused output image.

10. The camera of claim 9, wherein the camera controller is further configured to synchronize the Wide and Tele sensors so that a rolling shutter starts substantially the same time for both sensors.

11. The camera of claim 9, wherein the camera controller a fixed focal length Wide lens with a Wide field of view 25 is further configured to synchronize the Wide and Tele sensors so that same points of the object in each view are obtained substantially simultaneously.

12. The camera of claim 8, wherein the camera controller is further configured to provide from the captured images an image with a shallow depth of field.

13. The camera of claim 12, wherein the camera controller is further configured to combine, when in still mode, at least some of the Wide and Tele image data to provide a fused output image.

14. The camera of claim 13, wherein the camera controller is further configured to synchronize the Wide and Tele sensors so that a rolling shutter starts substantially at the same time for both sensors.

15. The camera of claim 13, wherein the camera controller reduce an image jump effect seen in the video output 40 is further configured to synchronize the Wide and Tele sensors so that same points of the object in each view are obtained substantially simultaneously.

16. The camera of claim 12, wherein the camera controller is further configured to synchronize the Wide and Tele sensors so that a rolling shutter starts substantially at the same time for both sensors.

17. The camera of claim 12, wherein the camera controller is further configured to synchronize the Wide and Tele sensors so that same points of the object in each view are 50 obtained substantially simultaneously.

18. The camera of claim 12, where the shallow depth of field images are suited for portrait photos.

19. A method for providing a digital video output in a multiple aperture zoom digital camera, comprising steps of:

- a) providing a Wide imaging section that includes a Wide sensor and a fixed focal length Wide lens with a Wide field of view (FOV), the Wide imaging section operative to output a Wide image;
- b) providing a Tele imaging section that includes a Tele sensor and a fixed focal length Tele lens with a Tele FOV that is narrower than the Wide FOV, the Tele imaging section operative to output a Tele image; and
- c) when providing video output images, utilizing a camera controller operatively coupled to the Wide and Tele imaging sections to reduce an image jump effect seen in the video output images when switching from a Wide image to a Tele image by shifting the Tele image

relative to the Wide image according to a distance of an object in a Tele image region of interest (ROI), and/or to reduce an image jump effect seen in the video output images when switching from a Tele image to a Wide image by shifting the Wide image relative to the Tele 5 image according to a distance of an object in a Wide image ROI.

20. The method of claim **19**, wherein the reducing the image jump effect seen in the video output images further includes reducing the image jump by matching scale ¹⁰ between the Wide and Tele images when switching from a Wide image to a Tele image or vice versa.

21. The method of claim **19**, wherein the utilizing a camera controller to reduce an image jump effect seen in the video output images further includes utilizing the controller ¹⁵ to match brightness and color between the Wide and Tele images when switching from a Tele image to a Wide image or vice versa.

22. The method of claim **19**, wherein the switching is between a lower zoom factor (ZF) value and a higher ZF ²⁰ value or vice versa, wherein each Tele image and Wide image has a respective output resolution, wherein at the

lower ZF value the output resolution is determined by the Wide sensor and wherein at the higher ZF value the output resolution is determined by the Tele sensor.

23. The method of claim **22**, further comprising using a user control module to receive user inputs and using a sensor control module to configure each image sensor to acquire the Wide and Tele images based on a user input that includes a camera mode and a zoom factor.

24. The method of claim **19**, further comprising during switching between a lower zoom factor (ZF) value and a higher ZF value, generating the video output images while using, at the higher ZF, secondary information from the Wide imaging section, thereby reducing discontinuities in the video output images.

25. The method of claim **19**, further comprising during switching between a higher zoom factor (ZF) value and a lower ZF value generating the video output images while using, at the lower ZF, secondary information from the Tele imaging section, thereby reducing discontinuities in the video output images.

* * * * *